

LEDVANCE.COM



LEDVANCE



RETAIL SMART⁺ PROGRAM

2020/2021



CONTENT

Please use the back-button on the following pages to get back to the content page



OVERVIEW	4
----------	---



OPTIONS FOR LIGHTING CONTROL	6
------------------------------	---



CONTROL VIA SMARTPHONE – SMART ⁺ WIFI	8
--	---



CONTROL VIA VOICE COMMAND – SMART ⁺ BLUETOOTH	12
--	----



CONTROL VIA GATEWAY – SMART ⁺ ZIGBEE	16
---	----



SMART ⁺ AT POINT OF SALE	20
-------------------------------------	----



SMART ⁺ WIFI – PRODUCT PORTFOLIO	26
---	----



SMART ⁺ BLUETOOTH – PRODUCT PORTFOLIO	88
--	----



SMART ⁺ ZIGBEE – PRODUCT PORTFOLIO	106
---	-----



SMART LIGHTING – THE CLEVER WAY TO BOOST YOUR SALES

An ever increasing number of people are becoming excited about the fascinating opportunities offered by intelligent networked lighting. We have completely revised and massively expanded our SMART⁺ portfolio to allow you to exploit this fast-growing potential in the best way possible. You can look forward to a multitude of new impulses for your lighting business!



THE NEW SMART+ PORTFOLIO OF LAMPS AND LUMINAIRES: HUGE RANGE FOR INDOORS AND OUTDOORS

Whether you're interested in highly efficient LED lamps or stylish LED luminaires, products for indoor or outdoor use, or control via app, voice or smart remote – the SMART+ product portfolio is broader and more extensive than ever before.




SMART SOLUTIONS FOR ALL CUSTOMER NEEDS

Whether its convenience, a sense of security, the ability to take advantage of a range of intelligent functions or the pleasure gained from configuring lighting indoors and outdoors – customers have widely differing expectations of smart lighting. SMART+ fulfills all these expectations in the best way possible.

1. Clever & convenient


Why stand up every time you want to switch the lighting on or off? SMART+ customers can control their lighting via app or voice from the comfort of their sofa.



WHY CUSTOMERS ARE SO EXCITED ABOUT SMART+

2. Clever & mobile

SMART+ gives many users an enhanced sense of security. They can control their lighting at home from practically any location – to simulate their physical presence, for example.



3. Clever & appealing

Lighting is now much more than simply a matter of “on” or “off”. More and more customers are becoming excited by the possibility of creating atmospheric lighting scenarios or automating their desired lighting sequences (e.g. wake-up light) throughout the course of the day.

4. Clever & outdoors

Greater convenience, increased security, heightened atmosphere: Outdoors too, LEDVANCE has a large number of smart lighting products that open up a wide range of fascinating possibilities.

THREE PRODUCT LINES – THREE CONTROL METHODS

Some people want to control their lighting with their smartphone. Others prefer the convenience of using smart speakers and voice commands. A third group would like to integrate their smart lighting into a comprehensive smart home system via a gateway.

That's why we now offer your customers three product lines based around different technologies – each with its own recommended control method. The individual lines are tailored perfectly to the control method we recommend for them. But alternative control methods are available for each line to ensure customers retain flexibility moving forward.

SMART HOME COMFORT – LIGHT CONTROL VIA SMARTPHONE:



The SMART+ WIFI products can be controlled simply and conveniently via a WiFi router using the LEDVANCE SMART+ WIFI app. More on pg. 8.



WIFI



LEDVANCE
LAMP/LUMINAIRE



LEDVANCE
SMART+ WIFI APP



RECOMMENDED



SMART HOME PREMIUM – LIGHT CONTROL VIA VOICE COMMAND:

The SMART⁺ Bluetooth products are designed to work perfectly by means of voice control. We recommend using the smart speakers from Google. More on pg. 12.



LEDVANCE
LAMP/LUMINAIRE

GOOGLE
NEST MINI

GOOGLE
HOME APP

SMART HOME PROFESSIONAL – LIGHT CONTROL VIA GATEWAY:

Our recommendation for the SMART⁺ Zigbee products: control using a gateway and the related app belonging to one of our many partner systems. More on pg. 16.



LEDVANCE
LAMP/LUMINAIRE

SMART HOME SYSTEMS
WITH GATEWAY, E.G. BOSCH

SMART⁺ WIFI: SMART LIGHTING AT THE TOUCH OF A FINGER



LIGHT CONTROL VIA SMARTPHONE: SMART⁺ WIFI

SMART⁺ WiFi is the simplest route to smart lighting. Your customers only need the following: a **SMART⁺ WiFi lamp or luminaire**, a router (that most homes have already), the free **LEDVANCE SMART⁺ WiFi app** – and they're ready to go!

The control method we recommend in this case is the smartphone respectively the LEDVANCE SMART⁺ WiFi app. The possibilities are practically endless, with the app enabling control of a wide range of functions in an extremely simple manner. What's more, there's a huge portfolio of lamps and luminaires for customers to choose from – for indoor and outdoor areas.

The key benefits at a glance:

- Recommended control method is the LEDVANCE SMART⁺ WiFi app
- Huge range of lamps and luminaires
- Up to 250 products can be connected up, and around 50 can be controlled simultaneously
- Short response time



**LEDVANCE
LAMP/LUMINAIRE**



**LEDVANCE
SMART⁺ WIFI APP**



Home needs an internet
(WiFi) connection

SMART⁺ WIFI CAN DO ALL OF THIS

PRODUCT FUNCTIONS*:

* Depending on product model



On/Off function



Dimming function




From warm white to cool white



Light color function

SYSTEM FUNCTIONS:



Group light sources

For example, selected light sources in living room, combination of indoor and outdoor light sources



Create lighting scenes

All selected light sources are adjusted to create the desired atmosphere – at the touch of a button



Light management while on the go

Controlling the lighting at home from any location – e.g. simulating physical presence at home while away on a business trip



Interacting light sources

Combining several products and functions – e.g. living room lighting off, bedroom lighting on



Automated lighting sequences

Light for waking up and falling to sleep, weather-dependent lighting, light that supports the human biorhythm, and much more besides

VOICE CONTROL USING WIFI

The SMART⁺ WiFi app can also be integrated into other apps – such as the apps from Google Home or Amazon Alexa, enabling voice control via speaker.

SMART⁺ WIFI APP: MUCH MORE

Unsurprisingly, SMART⁺ WiFi can be used to control simple functions such as dimming, light temperature or light color. But this intuitive system also can do a whole lot more. Just a few examples ...

LIGHTING FOR A WIDE RANGE OF MOODS

Cool white light when working, particularly cozy lighting for evenings on the sofa, whimsically colorful lighting for parties ... SMART⁺ WiFi enables simple creation of even complex lighting scenarios. The app already contains a few pre-configured scenarios.




LIGHTING THAT ENHANCES WELL-BEING

SMART⁺ WiFi can adjust lighting to meet our changing needs over the course of the day (“circadian rhythm”). Bright and stimulating in the morning, for example, and a dimmed warm white during periods of relaxation. Eight default settings have already been programmed in the app.





THAN JUST “ON” OR “OFF”




LIGHTING THAT REACTS TO THE WEATHER

SMART+ WIFI is even able to respond to the data in the current weather report: no lighting during bright sunshine, for example, and automatic lighting activation when the sun goes down.

LIGHTING FOR WAKING UP AND FALLING TO SLEEP

The lighting slowly becomes brighter in the morning (fade-in function) – and the intensity gradually decreases again (fade-out) when it's time to go to sleep. The respective times can be defined by the customer, and repeated for any number of desired days.



LEDVANCE SMART⁺ AND GOOGLE NEST – PERFECTLY COMPLEMENTING ONE ANOTHER



LIGHT CONTROL VIA VOICE COMMAND: SMART⁺ BLUETOOTH

SMART⁺ Bluetooth is our recommendation for anyone who wants to conveniently control their lighting by voice. This is because the products harmonize perfectly with the smart speakers from Google.

The key benefits at a glance:

- Direct integration of SMART⁺ Bluetooth products in the Google Home app thanks to Seamless Setup
- Fast installation: less than 5 minutes
- Extremely fast response time
- Bluetooth Mesh function: each additional SMART⁺ Bluetooth lamp connected in series increases the range of the network
- A practically unlimited number of lighting sources can be connected up



LEDVANCE
LAMP/LUMINAIRE



The smart light
switch.
With Google.



GOOGLE
HOME APP

GOOGLE
NEST MINI



Nest Mini requires WiFi, a nearby electrical socket, a compatible smartphone or tablet, and a Google account.

SMART⁺ BLUETOOTH CAN DO ALL OF THIS

PRODUCT FUNCTIONS¹:

¹ Depending on product model



On/Off function



Dimming function



From warm white to cool white



Light color function

SYSTEM FUNCTIONS:



Voice control
Convenient voice control via smart speakers



Group lighting sources
For example, selected light sources in the living room, all light sources in the outdoor area



Create lighting scenes
Create lighting scenes using the Google Home app and activate the desired atmosphere via speaker




Light management while on the go
Controlling the lighting at home from any location – e.g. simulating physical presence while away on a business trip



Program times
For example, define gently intensifying lighting levels at waking-up time and gently fading light when going to sleep



Further options:
weather information, control of music and audio, scheduling, heating, blinds and a whole lot more³.



A PERFECT COMBINATION: STARTER KIT WITH SMART⁺ PRODUCT AND GOOGLE NEST MINI²



Nest Mini available in the colors Chalk and Charcoal

² Currently available in DACH region, other countries on request

³ Compatible smart home devices are required

GOOGLE NEST MINI SPEAKER AND GOOGLE ASSISTANT – SUPPORT FOR YOUR HOME



Conveniently manage your lighting using voice control. But the Google Nest Mini speaker can also do a whole lot more ...



IT COULDN'T BE EASIER: STREAMING MUSIC VIA VOICE COMMANDS

You can play your favorite music from YouTube Music, Spotify or other providers using voice commands.¹ Just tell Google Assistant which song, artist, album or genre you want to listen to. Or stream music directly from your smartphone² to Nest Mini.³



ALWAYS AT YOUR DISPOSAL: YOUR GOOGLE ASSISTANT

Google Assistant is there for you wherever and whenever you need it:⁴ Ask it, for example, about the weather or the latest news. You will get an immediate answer. You can also use voice commands to set timers and alarms.



"HEY GOOGLE, GOOD MORNING"

Google Assistant⁴ identifies you by your voice: Thanks to Voice Match, everyone in your home can retrieve their own appointments, reminders or traffic information.⁵



TURN UP THE MUSIC

Nest Mini delivers clear sound thanks to enhanced power and bass.³



YOUR SMART HOME OBEYS YOUR EVERY WORD

Google Assistant⁴ is just a voice command away: Want to dim the light, turn up the heating or switch the TV on? Your voice is the only thing you need.⁶ Nest Mini is compatible with hundreds of smart home devices such as lamps, sockets and TVs, from a range of brands.

Hey Google, turn on the light

Hey Google, switch the light to red

Hey Google, switch the light to 50 %



Hey Google, play some music

Hey Google, what is 25 times 83?

Hey Google, set the timer for 15 minutes

¹ Access to some content requires a subscription. Additional terms of use and/or additional fees may apply.

² Requires an Android smartphone or Chromecast-compatible apps on iOS.

³ Nest Mini requires WiFi, a nearby electrical socket, a compatible smartphone or tablet, and a Google account.

⁴ A compatible smartphone or tablet (Android, iOS) and an internet connection are required to use the Assistant.


⁵ Some additional setups and registrations are needed for Voice Match. Voice Match can identify up to six users. When using Voice Match, it is possible that Google will identify you incorrectly if another user has a similar voice or uses a recording of your voice.

⁶ Compatible smart home devices are required.

OTHER CONTROL METHODS FOR SMART⁺ BLUETOOTH

SMART⁺ BLUETOOTH AND THE LEDVANCE SMART⁺ APP FOR BLUETOOTH (ANDROID AND IOS)

The LEDVANCE SMART⁺ app for Bluetooth is indispensable particularly in cases where there's a requirement to integrate older Bluetooth products (e.g. OSRAM). Simply select the desired firmware on the startup screen using the flash function: LEDVANCE SMART⁺ app, Google Assistant, Amazon Alexa or Apple HomeKit. Or just simply control things directly via the LEDVANCE SMART⁺ app.



SMART⁺ BLUETOOTH AND AMAZON ALEXA (ANDROID AND IOS)

You'd like to control LEDVANCE SMART⁺ Bluetooth products through Amazon Alexa? Simply download the LEDVANCE SMART⁺ app for Bluetooth, select "Amazon Alexa" in the start menu and carry out the firmware update for selected products: Now you directly integrate the Bluetooth products into the Alexa app and enjoy voice command.



SMART⁺ BLUETOOTH AND APPLE HOMEKIT (IOS)

The Apple Home app comes pre-installed on all Apple devices. It enables control by voice or finger gestures. Voice commands can be issued via the Siri voice assistant or the Apple HomePod. When Apple TV is used, control is also possible regardless of the user's physical location.



SMART⁺ ZIGBEE: SYSTEM SOLUTIONS FOR SMART LIGHTING

LIGHT CONTROL VIA GATEWAY: SMART⁺ ZIGBEE

The SMART⁺ products using Zigbee technology were developed specifically for control via a gateway. This makes them the ideal solution for anyone who wants to fully exploit the possibilities of smart lighting and wishes to integrate smart light into a comprehensive smart home system.

The key benefits at a glance:

- Recommended control method is the app belonging to the partner system (alternatively, control via a smart speaker or a smart remote)
 - Large range of lamps and luminaires
 - Up to 50 products can be connected up
- Compatibility with the following systems: Bosch, Philips Hue, Deutsche Telekom Qivicon, SAMSUNG SmartThings, Schwaiger HOME4YOU and many more



LEDVANCE LAMP/LUMINAIRE



GATEWAY WITH PARTNER APP

PRODUCT FUNCTIONS*:

* Depending on product model

On/Off
functionDimming
functionFrom warm
white to cool
whiteLight
color
function**SYSTEM FUNCTIONS:****Voice control**

Convenient voice control via smart speakers is also possible

**Group lighting sources**

For example, selected light sources in the living room, all light sources in the outside area, etc.

**Create lighting scenes**

All selected light sources are adjusted to create the desired atmosphere – with just a single command

**Program times**

For example, gently intensifying lighting levels at waking-up time and fading lighting levels when going to sleep

**Light management while on the go**

Controlling the lighting at home from any location – e.g. simulating physical presence while away on a business trip.

**Further smart applications**

In addition to the lighting, you can also control heating, blinds, alarm systems, fire and water leak detectors, infotainment, household appliances and many more applications in a smart and convenient manner.



Fire alarm during absence:
Smoke alarms can also be integrated into a gateway system. (See also: Bosch & LEDVANCE Starter Kits, pg. 18)



Measures to simulate physical presence (involving lighting, blinds, radio, etc.) combine with alarm and warning functions to create a comprehensive security concept. (See also: Bosch & LEDVANCE Starter Kits, pg. 18)

FOR ENTRY-LEVEL USERS: THE SIMPLE ALTERNATIVE WITHOUT GATEWAY AND APP

The SMART⁺ Zigbee products can also be used together with the SWITCH or SWITCH MINI smart remotes – extremely easily, without app, gateway and internet connection. The remotes can be directly coupled with the Zigbee products.



LEDVANCE & BOSCH: A FANTASTIC COMBINATION

SMART⁺ ZIGBEE AND THE BOSCH HOME SYSTEM

Bosch Smart Home brings greater security for your home and more convenience in your everyday life. Possible applications for the system, among many others, are convenient and energy-saving management of heat and air quality, and implementation of alarm systems to protect against fires and intruders. Responsible for lighting applications: the LEDVANCE SMART⁺ Zigbee products!



LEDVANCE
LAMP/LUMINAIRE



BOSCH HOME APP



BOSCH SMART HOME
SYSTEM GATEWAY

OUR BOSCH STARTER KITS



Bosch & LEDVANCE Smoke Alarm Set Starter Kit
with gateway, smoke alarm and two LEDVANCE
RGBW lamps




Bosch & LEDVANCE Alarm System Starter Kit
with gateway, alarm system, a LEDVANCE RGBW
lamp and LEDVANCE RGBW light strip

VOICE CONTROL WITH SMART⁺ ZIGBEE

SMART⁺ ZIGBEE AND GOOGLE

Our SMART⁺ Zigbee products can be conveniently controlled via voice as well. SMART⁺ Zigbee is compatible with all speakers from Google. Requirements in this case, however, are a gateway belonging to one of our partner systems and the related app.



SMART⁺ ZIGBEE AND AMAZON

Your customer already owns a speaker from Amazon? Perfect! SMART⁺ Zigbee is compatible with all the speaker models. Depending on the particular product generation, voice control is possible with or without a gateway.

VOICE CONTROL **WITHOUT** SEPARATE GATEWAY

With Amazon Echo Plus and Amazon Echo Show (2nd generation)



VOICE CONTROL **WITH** SEPARATE GATEWAY

For Amazon Echo, Amazon Echo Dot and Amazon Echo Show (1st generation)



VIEWING, TESTING, PURCHASING

ATTRACTIVE, INFORMATIVE – AND EXPANDABLE USING FURTHER MODULES

The enticing SMART⁺ main display rack features information and demo tools explaining the SMART⁺ range of lamps and luminaires in a clear and simple manner to your customers. For additional cross-selling impulses the LEDVANCE & Google Starter Kits can be showcased. This POS system can be flexibly equipped and expanded as required.



: OUR DISPLAY RACK CONCEPT



POS SOLUTIONS FOR EVERY NEED



HOUSE OF SMART

The “House of Smart” is the conspicuous and comprehensive POS solution for large floor areas in lighting departments or check-out zones. The walk-around module showcases the SMART+ range with a large number of demonstration products and gives your customers decisive product information.

REQUIRE INDIVIDUAL SOLUTIONS?

Not a problem! Simply get in touch with your contact at our customer service center.





DEMO TOOL

Ideal for selling LEDVANCE & Google Starter Kits: The Demo Tool is equipped with either a communication header or a screen (including video) – and contains samples of a Google Nest Mini and a SMART+ lamp. Can be positioned in main rack or on stand-alone displays.



DISPLAYS

Ideal for fast sale of Bluetooth or WiFi products. Available in various versions.



PERMANENT DISPLAY


This wooden cabinet placement in 1.20 m width allows for versatile placement. Customer engagement occurs through an info-tool or a communication header.



PERMANENT DISPLAY

A wooden display in ¼ pallet dimensions with an info tool or communication header.

EVEN GREATER MOMENTUM FO



SMART⁺ WEBSITE


What sort of things can I do with smart lighting? How can I control it? Which technology is right for me? Many people still have a lot of questions about smart lighting. Our new SMART⁺ web pages answer all of them – and guide customers through the list of potential applications and control methods (via app, voice command or gateway) to find the right technology for their particular situation. Clear, simply explained and readily understandable, with lots of application examples and testimonials from target groups. ledvance.com/consumer/smart

SMART⁺ INSTALLATION VIDEOS

Simple handling is a decisive sales argument for the SMART⁺ system. How easy it is to install and operate products is shown in our informative installation videos. Now available to view on our LEDVANCE Consumer YouTube channel.



R YOUR SALES EFFORTS




SMART+ FLYER

For customers who want to peruse things at their leisure, a complete range of material and basic information about the SMART+ system is also available in printed form. Located at the PoS, this advertising material gives an additional boost to sales.

SMART+ TESTIMONIAL VIDEOS

Emotional, authentic and totally convincing. In our testimonial videos, various target groups show how smart lighting has brought a completely new dynamic to their homes. Take a look here:

www.ledvance.de/consumer/smart or on our [LEDVANCE German Consumer YouTube channel](#)



SMART⁺ WIFI: SIMPLE INTRODUCTION – COUNTLESS POSSIBILITIES

For those who would like to primarily control their light with an app: SMART⁺ WiFi is the simple – and particularly cost-effective – option for getting into smart lighting. At the same time a host of clever functions are offered and there is a very wide product portfolio available.



	SMART+ WIFI LAMPS AND COMPONENTS	28
	SMART+ WIFI INDOOR PANEL LUMINAIRES	40
	SMART+ WIFI INDOOR ROUND LUMINAIRES	50
	SMART+ WIFI INDOOR LED STRIPS	68
	SMART+ WIFI OUTDOOR WALL AND PATHWAY LUMINAIRES	70
	SMART+ WIFI OUTDOOR GARDEN LUMINAIRES	76
	SMART+ WIFI OUTDOOR LED STRIPS	82
	SMART+ WIFI OUTDOOR FLOODLIGHTS	84



SMART+ WIFI CLASSIC LAMP SHAPE SINGLE PACK

Product name	GTIN (EAN)	No.	W ¹	W	lm	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class
--------------	------------	-----	----------------	---	----	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------

SMART+ WIFI Classic Dimmable

SMART+ WiFi Classic 100 14 W/2700K E27	4058075485471	1	100	14.00	1521	E27	A+	2700	Yes	15000	141.5	75.0	4	4
SMART+ WiFi Classic 75 9.5 W/2700K E27	4058075485419	1	75	9.50	1055	E27	A+	2700	Yes	15000	115.0	60.0	4	4
SMART+ WiFi Classic 60 9 W/2700K E27	4058075485358	1	60	9.00	806	E27	A+	2700	Yes	15000	115.0	60.0	4	4
SMART+ Filament WiFi Classic A 60 5,5W E27	4058075528239	2	60	5.50	806	E27	A++	2700	Yes	15000	105.0	60.0	4	4

SMART+ WIFI Classic Tunable White

SMART+ WiFi Classic 100 14 W/2700...6500K E27	4058075485495	1	100	14.00	1521	E27	A+	2700...6500	Yes	15000	141.5	75.0	4	4
SMART+ WiFi Classic 75 9.5 W/2700...6500K E27	4058075485433	1	75	9.50	1055	E27	A+	2700...6500	Yes	15000	115.0	60.0	4	4
SMART+ WiFi Classic 60 9 W/2700...6500K B22d	4058075515642	3	60	9.00	806	B22d	A+	2700...6500	Yes	15000	115.0	60.0	4	4
SMART+ WiFi Classic 60 9 W/2700...6500K E27	4058075485372	1	60	9.00	806	E27	A+	2700...6500	Yes	15000	115.0	60.0	4	4

SMART+ WIFI Classic Multicolour




















SMART+ WiFi Classic 100 14 W/2700...6500K E27	4058075485518	1	100	14.00	1521	E27	A+	2700...6500	Yes	15000	141.5	75.0	4	4
SMART+ WiFi Classic 75 9.5 W/2700...6500K E27	4058075485457	1	75	9.50	1055	E27	A+	2700...6500	Yes	15000	115.0	60.0	4	4
SMART+ WiFi Classic 60 9 W/2700...6500K B22d	4058075521414	3	60	9.00	806	B22d	A+	2700...6500	Yes	15000	115.0	60.0	4	4
SMART+ WiFi Classic 60 9 W/2700...6500K E27	4058075485396	1	60	9.00	806	E27	A+	2700...6500	Yes	15000	115.0	60.0	4	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI CANDLE LAMPS SINGLE PACKS




















Product name	GTIN (EAN)													
SMART+ WiFi Candle Dimmable 														
SMART+ WiFi Candle 40 5 W/2700K E14	4058075485532	1	40	5.00	470	E14	A+	2700	Yes	20000	107.0	37.5	4	4
SMART+ WiFi Candle Tunable White  														
SMART+ WiFi Candle 40 5 W/2700...6500K E14	4058075485556	1	40	5.00	470	E14	A+	2700...6500	Yes	20000	107.0	37.5	4	4
SMART+ WiFi Candle Multicolour   														
SMART+ WiFi Candle 40 5 W/2700...6500K E14	4058075485570	2	40	5.00	470	E14	A+	2700...6500	Yes	20000	107.0	37.5	4	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI MINI-GLOBE LAMPS SINGLE PACKS

Product name	GTIN (EAN)													
SMART+ WiFi Mini Bulb Dimmable 														
SMART+ WiFi Mini bulb 40 5 W/2700K E14	4058075485594	1	40	5.00	470	E14	A+	2700	Yes	20000	89.5	46.5	4	4
SMART+ WiFi Mini Bulb Tunable White  														
SMART+ WiFi Mini bulb 40 5 W/2700...6500K E14	4058075485617	2	40	5.00	470	E14	A+	2700...6500	Yes	20000	89.5	46.5	4	4
SMART+ WiFi Mini Bulb Multicolour   														
SMART+ WiFi Mini bulb 40 5 W/2700...6500K E14	4058075485631	3	40	5.00	470	E14	A+	2700...6500	Yes	20000	89.5	46.5	4	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



1

SMART+ WIFI FILAMENT LAMP WITH EDISON BULB

Product name	GTIN (EAN)														
SMART+ Filament Edison Dimmable															
SMART+ Filament WiFi Classic Edison 60 5,5W E27	4058075528277	1	60	5.50	806	E27	A++	2700	Yes	15000	143.0	64.0	4	4	

















¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



1



SMART+ WIFI FILAMENT LAMP WITH GLOBE BULB














Product name	GTIN (EAN)														
SMART+ Filament Globe Dimmable															
SMART+ WIFI Globe 60 FIL 5,5 W/2700K E27	4058075528291	1	60	5.50	806	E27	A++	2400	Yes	15000	168.0	124.0	4	4	




¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI REFLECTOR LAMPS SINGLE PACKS

Product name	GTIN (EAN)													
SMART+ WiFi SPOT GU10 Dimmable														
SMART+ WiFi Spot 40 45° 5 W/2700K GU10	4058075485655	1	40	5.00	350	GU10	A+	2700	Yes	20000	55.0	50.0	4	4
SMART+ WiFi SPOT GU10 Tunable White														
SMART+ WiFi Spot 40 45° 5 W/2700...6500K GU10	4058075485679	2	40	5.00	350	GU10	A+	2700...6500	Yes	20000	55.0	50.0	4	4
SMART+ WiFi SPOT GU10 Multicolour														
SMART+ WiFi Spot 32 45° 5 W/2700...6500K GU10	4058075485693	3	32	5.00	350	GU10	A+	2700...6500	Yes	20000	55.0	50.0	4	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI CLASSIC LAMP SHAPE TRIPLE PACK

Product name	GTIN (EAN)	No.	W ¹	lm	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class
--------------	------------	-----	----------------	----	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------

SMART+ WIFI Classic Dimmable Triple Pack

SMART+ WIFI Classic 100 14 W/2700K E27	4058075485839	1	100	14.00	1521	E27	A+	2700	Yes	15000	141.5	75.0	12	12
SMART+ WIFI Classic 75 9.5 W/2700K E27	4058075485778	1	75	9.50	1055	E27	A+	2700	Yes	15000	115.0	60.0	12	12
SMART+ WIFI Classic 60 9 W/2700K E27	4058075485716	1	60	9.00	806	E27	A+	2700	Yes	15000	115.0	60.0	12	12

SMART+ WIFI Classic Tunable White Triple Pack

SMART+ WIFI Classic 100 14 W/2700...6500K E27	4058075485853	1	100	14.00	1521	E27	A+	2700...6500	Yes	15000	141.5	75.0	12	12
SMART+ WIFI Classic 75 9.5 W/2700...6500K E27	4058075485792	1	75	9.50	1055	E27	A+	2700...6500	Yes	15000	115.0	60.0	12	12
SMART+ WIFI Classic 60 9 W/2700...6500K B22d	4058075515666	2	60	9.00	806	B22d	A+	2700...6500	Yes	15000	115.0	60.0	12	12
SMART+ WIFI Classic 60 9 W/2700...6500K E27	4058075485730	1	60	9.00	806	E27	A+	2700...6500	Yes	15000	115.0	60.0	12	12

SMART+ WIFI Classic Multicolour Triple Pack







SMART+ WIFI Classic 100 14 W/2700...6500K E27	4058075485877	1	100	14.00	1521	E27	A+	2700...6500	Yes	15000	141.5	75.0	12	12
SMART+ WIFI Classic 75 9.5 W/2700...6500K E27	4058075485815	1	75	9.50	1055	E27	A+	2700...6500	Yes	15000	115.0	60.0	12	12
SMART+ WIFI Classic 60 9 W/2700...6500K E27	4058075485754	1	60	9.00	806	E27	A+	2700...6500	Yes	15000	115.0	60.0	12	12
SMART+ WIFI Classic 60 9 W/2700...6500K B22d	4058075515680	2	60	9.00	806	B22d	A+	2700...6500	Yes	15000	115.0	60.0	12	12




¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI CANDLE LAMPS TRIPLE PACKS





















Product name	GTIN (EAN)	No.	W ¹	W	lm			K		t ₉₀ ³	l (mm)	d (mm)		
SMART+ WiFi Candle Dimmable Triple Pack 														
SMART+ WiFi Candle 40 5 W/2700K E14	4058075485891	1	40	5.00	470	E14	A+	2700	Yes	20000	107.0	37.5	12	12
SMART+ WiFi Candle Tunable White Triple Pack  														
SMART+ WiFi Candle 40 5 W/2700...6500K E14	4058075485914	1	40	5.00	470	E14	A+	2700...6500	Yes	20000	107.0	37.5	12	12
SMART+ WiFi Candle Multicolour Triple Pack   														
SMART+ WiFi Candle 40 5 W/2700...6500K E14	4058075485938	2	40	5.00	470	E14	A+	2700...6500	Yes	20000	107.0	37.5	12	12




¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI MINI-GLOBE LAMPS TRIPLE PACKS







Product name	GTIN (EAN)														
SMART+ WiFi Mini Bulb Dimmable Triple Pack 															
SMART+ WiFi Mini bulb 40 5 W/2700K E14	4058075485952	1	40	5.00	470	E14	A+	2700	Yes	20000	89.5	46.5	12	12	
SMART+ WiFi Mini Bulb Tunable White Triple Pack  															
SMART+ WiFi Mini bulb 40 5 W/2700...6500K E14	4058075485976	1	40	5.00	470	E14	A+	2700...6500	Yes	20000	89.5	46.5	12	12	
SMART+ WiFi Mini Bulb Multicolour Triple Pack   															
SMART+ WiFi Mini bulb 40 5 W/2700...6500K E14	4058075485990	1	40	5.00	470	E14	A+	2700...6500	Yes	20000	89.5	46.5	12	12	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI REFLECTOR LAMPS TRIPLE PACKS

Product name	GTIN (EAN)	No.	Wattage ¹	W	lm	Beam angle ²	Energy efficiency class ³	Power (W)	Beam angle (°)	Life span (hrs)	Beam angle (°)	Life span (hrs)
SMART+ WIFI SPOT GU10 Dimmable Triple Pack 												
SMART+ WiFi Spot 40 45° 5 W/2700K GU10	4058075486010	1	40	5.00	350	GU10	A+	2700	Yes	20000	55.0	50.0
SMART+ WIFI SPOT GU10 Tunable White Triple Pack  												
SMART+ WiFi Spot 40 45° 5 W/2700...6500K GU10	4058075486034	2	40	5.00	350	GU10	A+	2700...6500	Yes	20000	55.0	50.0
SMART+ WIFI SPOT GU10 Multicolour Triple Pack   												
SMART+ WiFi Spot 32 45° 5 W/2700...6500K GU10	4058075486058	3	32	5.00	350	GU10	A+	2700...6500	Yes	20000	55.0	50.0



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ WIFI PLUG INDOOR AND OUTDOOR

Product name	GTIN (EAN)							
SMART+ Plug								
SMART+ WIFI PLUG EU – not controllable by remote controller	4058075522800	1	I	10	White	IP20	4	4
SMART+ Plug								
SMART+ WIFI PLUG EU – additionally controllable by remote controller	4058075537248	1	I	10	White	IP20	4	4
SMART+ Outdoor Plug								
SMART+ WIFI OUTDOOR PLUG EU	4058075532120	2	I	16	White	IP44	8	8





1



SMART+ WIFI REMOTE CONTROL

Product name

GTIN (EAN)



COLOR

IP



SMART+ WIFI Remote Controller

SMART+ WIFI Remote Controller DIM

4058075526938

1

White

IP20

4

4



SMART⁺ WIFI PLANON™ FRAMELESS SQUARE

FRAMELESS, SQUARE PANEL LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
600x600



2
SMART+ WIFI PLANON
450x450



3
SMART+ WIFI PLANON
300x300




Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	Energy efficiency grade ³	K
Smart+ WIFI PLANON FRAMELESS TW 600x600	4058075484436	1	White	Aluminum	25000	40.00	3400	A++/A+/A	3000...6500
SMART+ WIFI PLANON FRAMELESS TW RGB 600x600**	4058075484474	1	White	Aluminum	25000	40.00	3400	A++/A+/A	RGB, 3000...6000
SMART+ WIFI PLANON FRAMELESS TW 450x450	4058075484375	2	White	Aluminum	25000	28.00	2300	A++/A+/A	3000...6500
SMART+ WIFI PLANON FRAMELESS TW 300x300	4058075484313	3	White	Aluminum	25000	20.00	1600	A++/A+/A	3000...6500
SMART+ WIFI PLANON FRAMELESS TW RGB 300x300**	4058075484351	3	White	Aluminum	25000	20.00	1500	A++/A+/A	RGB, 3000...6000

Product name	CRI	°	IP	lm	l [mm]	b [mm]	h [mm]	Weight
Smart+ WIFI PLANON FRAMELESS TW 600x600	>80	110	IP20	15000	596.0	596.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW RGB 600x600**	>80	110	IP20	15000	596.0	596.0	69.0	3
SMART+ WIFI PLANON FRAMELESS TW 450x450	>80	110	IP20	15000	450.0	450.0	69.0	4
SMART+ WIFI PLANON FRAMELESS TW 300x300	>80	110	IP20	15000	300.0	300.0	69.0	5
SMART+ WIFI PLANON FRAMELESS TW RGB 300x300**	>80	110	IP20	15000	300.0	300.0	69.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI PLANON™ FRAMELESS RECTANGULAR RECTANGULAR LIGHT PANELS WITHOUT FRAMES – WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
1200x300



2
SMART+ WIFI PLANON
1200x100



3
SMART+ WIFI PLANON
600x300



4
SMART+ WIFI PLANON
600x100



5
SMART+ WIFI PLANON
800x100



6
SMART+ WIFI PLANON
400x100




Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	Efficiency ³	K
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300**	4058075484511	1	White	Aluminum	25000	40.00	3300	A++/A+/A	RGB, 3000...6500
SMART+ WIFI PLANON FRAMELESS TW 1200x300	4058075484498	1	White	Aluminum	25000	40.00	3400	A++/A+/A	3000...6500
SMART+ WIFI PLANON FRAMELESS TW 1200x100	4058075484535	2	White	Aluminum	25000	35.00	2500	A++/A+/A	3000...6500
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100**	4058075484573	2	White	Aluminum	25000	35.00	2500	A++/A+/A	RGB, 3000...6500
SMART+ WIFI PLANON FRAMELESS TW 600x300	4058075484412	3	White	Aluminum	25000	28.00	2100	A++/A+/A	3000...6500
SMART+ WIFI PLANON FRAMELESS TW 600x100	4058075484610	4	White	Aluminum	25000	28.00	1800	A++/A+/A	3000...6500
SMART+ WIFI PLANON FRAMELESS TW 800x100	4058075484597	5	White	Aluminum	25000	27.00	2000	A++/A+/A	3000...6500
SMART+ WIFI PLANON FRAMELESS TW 400x100	4058075484634	6	White	Aluminum	25000	16.00	1050	A++/A+/A	3000...6500

Product name	CRI	IP	IP	l [mm]	b [mm]	h [mm]	Weight
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x300 **	>80	110	IP20	15000	1200.0	300.0	69.0 3
SMART+ WIFI PLANON FRAMELESS TW 1200x300	>80	110	IP20	15000	1200.0	300.0	69.0 3
SMART+ WIFI PLANON FRAMELESS TW 1200x100	>80	110	IP20	15000	1200.0	100.0	65.0 6
SMART+ WIFI PLANON FRAMELESS TW RGB 1200x100 **	>80	110	IP20	15000	1200.0	100.0	65.0 6
SMART+ WIFI PLANON FRAMELESS TW 600x300	>80	110	IP20	15000	600.0	300.0	69.0 4
SMART+ WIFI PLANON FRAMELESS TW 600x100	>80	110	IP20	15000	600.0	100.0	65.0 6
SMART+ WIFI PLANON FRAMELESS TW 800x100	>80	110	IP20	15000	800.0	100.0	65.0 6
SMART+ WIFI PLANON FRAMELESS TW 400x100	>80	110	IP20	15000	400.0	100.0	65.0 9

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI PLANON™ FRAMELESS ROUND

ROUND WALL AND CEILING LUMINAIRES IN FRAMELESS DESIGNS –
WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI PLANON
450



2
SMART+ WIFI PLANON
300



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	IP ³	K
--------------	------------	-----	-------	----------	-------------------	---	----	-----------------	---

SMART+ WIFI PLANON FRAMELESS TW 450	4058075484719	1	White	Aluminum	25000	28.00	2700	A+++/A+/A	3000...6500
SMART+ WIFI PLANON FRAMELESS TW RGB 300**	4058075484696	2	White	Aluminum	25000	20.00	1600	A+++/A+/A	RGB, 3000...6500
SMART+ WIFI PLANON FRAMELESS TW 300	4058075484672	2	White	Aluminum	25000	20.00	1700	A+++/A+/A	3000...6500

Product name	CRI	°	IP	h [mm]	d [mm]	5
--------------	-----	---	----	--------	--------	---

SMART+ WIFI PLANON FRAMELESS TW 450	>80	110	IP20	15000	65.0	450.0	5
SMART+ WIFI PLANON FRAMELESS TW RGB 300**	>80	110	IP20	15000	69.0	300.0	5
SMART+ WIFI PLANON FRAMELESS TW 300	>80	110	IP20	15000	65.0	300.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI PLANON™ PLUS SQUARE

SQUARE PANEL LUMINAIRES FOR CEILING MOUNTING –
WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





1
SMART+ WIFI PLANON PLUS TW
600x600



2
SMART+ WIFI PLANON PLUS TW
450x450



3
SMART+ WIFI PLANON PLUS TW
300x300



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	Energy efficiency ³	K
SMART+ WIFI PLANON PLUS TW 600x600***	4058075525382	1	White	Aluminum	25000	36.00	2800	A++/A+/A	3000...6500
SMART+ WIFI PLANON PLUS TW 450x450***	4058075525337	2	White	Aluminum	25000	28.00	2000	A++/A+/A	3000...6500
SMART+ WIFI PLANON PLUS TW 300x300***	4058075525313	3	White	Aluminum	25000	20.00	1400	A++/A+/A	3000...6500
SMART+ WIFI PLANON PLUS RGBW 600x600**	4058075525269	-	White	Aluminum	25000	36.00	3000	A++/A+/A	RGB, 3000
SMART+ WIFI PLANON PLUS RGBW 450x450**	4058075525221	-	White	Aluminum	25000	28.00	2000	A++/A+/A	RGB, 3000
SMART+ WIFI PLANON PLUS RGBW 300x300**	4058075495708	-	White	Aluminum	25000	20.00	1400	A++/A+/A	RGB, 3000

Product name	CRI	IP	IP	l _h ²	b _h ²	h _h ²	h _h ²
SMART+ WIFI PLANON PLUS TW 600x600***	≥80	110	IP20	15000	595.0	595.0	56.0
SMART+ WIFI PLANON PLUS TW 450x450***	≥80	110	IP20	15000	450.0	450.0	56.0
SMART+ WIFI PLANON PLUS TW 300x300***	≥80	110	IP20	15000	300.0	300.0	56.0
SMART+ WIFI PLANON PLUS RGBW 600x600**	≥80	110	IP20	15000	595.0	595.0	56.0
SMART+ WIFI PLANON PLUS RGBW 450x450**	≥80	110	IP20	15000	450.0	450.0	56.0
SMART+ WIFI PLANON PLUS RGBW 300x300**	≥80	110	IP20	15000	300.0	300.0	56.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI PLANON™ PLUS RECTANGULAR

RECTANGULAR PANEL LUMINAIRES FOR CEILING MOUNTING –
WITH TUNABLE WHITE OR TUNABLE AND RGB FUNCTION





1
SMART+ WIFI PLANON PLUS TW
1200x300



2
SMART+ WIFI PLANON PLUS TW
600x300



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	lm/W ³	K
--------------	------------	-----	-------	----------	-------------------	---	----	-------------------	---

SMART+ WIFI PLANON PLUS TW 1200x300***	4058075525405	1	White	Aluminum	25000	36	2800	A++/A+/A	3000...6500
SMART+ WIFI PLANON PLUS RGBW 1200x300**	4058075525290	1	White	Aluminum	25000	36	3000	A++/A+/A	RGB, 3000
SMART+ WIFI PLANON PLUS RGBW 600x300**	4058075525245	2	White	Aluminum	25000	28	2000	A++/A+/A	RGB, 3000
SMART+ WIFI PLANON PLUS TW 600x300***	4058075525368	2	White	Aluminum	25000	22	1600	A++/A+/A	3000...6500

Product name	CRI	°	IP	lm/W	l [mm]	b [mm]	h [mm]	Weight
--------------	-----	---	----	------	--------	--------	--------	--------

SMART+ WIFI PLANON PLUS TW 1200x300**	≥80	110	IP20	15000	1200.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 1200x300*	≥80	110	IP20	15000	1200.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS RGBW 600x300*	≥80	110	IP20	15000	595.0	300.0	56.0	3
SMART+ WIFI PLANON PLUS TW 600x300**	≥80	110	IP20	15000	595.0	300.0	56.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI ORBIS[®] DONUT

WALL AND CEILING LUMINAIRE IN A STYLISH DONUT DESIGN –
WITH TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Donut
400 WT



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	Energy efficiency grade ³	K
SMART+ WIFI ORBIS Donut 400 WT	4058075486300	1	White	Polymethylmethacrylate (PMMA)	30000	24.00	2500	A++/A+/A	3000...6500

Product name	CRI	Beam angle	IP	Beam diameter	Beam height	Beam diameter	Beam height
SMART+ WIFI ORBIS Donut 400 WT	>80	110	IP20	15000	85.0	400.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI ORBIS[®] KITE

TIMELESSLY MODERN CEILING LUMINAIRES WITH TUNABLE WHITE OR TUNABLE WHITE AND RGB FUNCTION





1
SMART+ WIFI ORBIS Kite
510 WT TW



2
SMART+ WIFI ORBIS Kite
410 WT TW



3
SMART+ WIFI ORBIS KITE
340 WT TW



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t _h ²	W	lm	°	K	CRI
--------------	------------	-----	-------	----------	-----------------------------	---	----	---	---	-----

SMART+ WIFI ORBIS Kite 510 WT	4058075486348	1	White	Steel	30000	32.00	3300	A++/A+/A	3000...6500	>80
SMART+ WIFI ORBIS Kite 410 WT	4058075486324	2	White	Steel	30000	24.00	2500	A++/A+/A	3000...6500	>80
SMART+ WIFI ORBIS KITE TW RGB 340 WT**	4058075495685	3	White	Steel	25000	18.00	1400	A++/A+/A	2700...6500	80

Product name	°	IP	h	d [mm]	mm
--------------	---	----	---	--------	----

SMART+ WIFI ORBIS Kite 510 WT	110	IP20	15000	83.0	510.0	3
SMART+ WIFI ORBIS Kite 410 WT	110	IP20	15000	68.0	410.0	3
SMART+ WIFI ORBIS KITE TW RGB 340 WT	120	IP20	15000	80.0	340.0	5

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI ORBIS[®] MOON

CEILING LUMINAIRES IN AN ATTRACTIVE LUNAR LOOK –
WITH TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Moon
480 BK



2
SMART+ WIFI ORBIS Moon
480 GR



3
SMART+ WIFI ORBIS Moon
380 BK



4
SMART+ WIFI ORBIS Moon
380 GR




Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	Energy efficiency ³	K
SMART+ WIFI ORBIS Moon 480 BK	4058075486386	1	Black	Polymethylmethacrylate (PMMA)	30000	32.00	3300	A++/A+/A	3000...6500
SMART+ WIFI ORBIS Moon 480 GR	4058075486423	2	Gray	Polymethylmethacrylate (PMMA)	30000	32.00	3300	A++/A+/A	3000...6500
SMART+ WIFI ORBIS Moon 380 BK	4058075486362	3	Black	Polymethylmethacrylate (PMMA)	30000	24.00	2500	A++/A+/A	3000...6500
SMART+ WIFI ORBIS Moon 380 GR	4058075486409	4	Gray	Polymethylmethacrylate (PMMA)	30000	24.00	2500	A++/A+/A	3000...6500

Product name	CRI	Beam angle	IP	Beam diameter	h [mm]	Ø d [mm]	Weight
SMART+ WIFI ORBIS Moon 480 BK	>80	110	IP20	15000	86.0	480.0	3
SMART+ WIFI ORBIS Moon 480 GR	>80	110	IP20	15000	86.0	480.0	3
SMART+ WIFI ORBIS Moon 380 BK	>80	110	IP20	15000	85.0	380.0	3
SMART+ WIFI ORBIS Moon 380 GR	>80	110	IP20	15000	85.0	380.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI ORBIS[®] PLATE

CEILING LUMINAIRES IN MODERN MINIMALIST DESIGNS –
WITH TUNABLE WHITE FUNCTION; FRAMES IN WHITE AND GRAY





1
SMART+ WIFI ORBIS Plate
430 WT



2
SMART+ WIFI ORBIS Plate
430 GR



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	Energy efficiency grade ³	K
--------------	------------	-----	-------	----------	-------------------	---	----	--------------------------------------	---

SMART+ WIFI ORBIS Plate 430 WT	4058075486447	1	White	Polymethylmethacrylate (PMMA)	30000	24.00	2500	A++/A+/A	3000...6500
SMART+ WIFI ORBIS Plate 430 GR	4058075486461	2	Gray	Polymethylmethacrylate (PMMA)	30000	24.00	2500	A++/A+/A	3000...6500

Product name	CRI	°	IP	h [mm]	d [mm]	3
--------------	-----	---	----	--------	--------	---

SMART+ WIFI ORBIS Plate 430 WT	>80	110	IP20	15000	70.0	430.0	3
SMART+ WIFI ORBIS Plate 430 GR	>80	110	IP20	15000	70.0	430.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI ORBIS[®] CROMO

CEILING LUMINAIRE IN A PLAYFUL IRREGULAR LOOK – WITH TUNABLE WHITE FUNCTION; DESIGNS IN CHROME AND WHITE





1
SMART+ WIFI ORBIS Cromo
500 CR



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	Energy efficiency grade ³	K
SMART+ WIFI ORBIS Cromo 500 CR	4058075486485	1	White	Polymethylmethacrylate (PMMA)	30000	30.00	3300	A++/A+/A	3000...6500

Product name	CRI	Beam angle	IP	Beam diameter	Beam height	Beam diameter	Beam height
SMART+ WIFI ORBIS Cromo 500 CR	>80	110	IP20	15000	89.0	500.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI ORBIS[®] FRAME

CEILING LUMINAIRE WITH AN ILLUMINATED FRAME AND
TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Frame
500 WT



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	Energy efficiency grade ³	K
SMART+ WIFI ORBIS Frame 500 WT	4058075486508	1	White	Polymethylmethacrylate (PMMA)	30000	32.00	3300	A++/A+/A	3000...6500

Product name	CRI	Beam angle	IP	Beam diameter	h (mm)	d (mm)	Weight
SMART+ WIFI ORBIS Frame 500 WT	>80	110	IP20	15000	83.0	495.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI ORBIS[®] EYE

PURISTIC CEILING LUMINAIRES WITH TUNABLE WHITE FUNCTION;
DESIGNS IN GRAY AND WHITE





1
SMART+ WIFI ORBIS Eye
490 WT



2
SMART+ WIFI ORBIS Eye
490 GR



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	IP ³	K
SMART+ WIFI ORBIS Eye 490 WT	4058075486522	1	White	Polymethylmethacrylate (PMMA)	30000	32.00	3300	A++/A+/A	3000...6500
SMART+ WIFI ORBIS Eye 490 GR	4058075486546	2	Gray	Polymethylmethacrylate (PMMA)	30000	32.00	3300	A++/A+/A	3000...6500

Product name	CRI	°	IP	h [mm]	d [mm]	3
SMART+ WIFI ORBIS Eye 490 WT	>80	110	IP20	15000	75.5	490.0
SMART+ WIFI ORBIS Eye 490 GR	>80	110	IP20	15000	75.5	490.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI ORBIS[®] CYLINDER

CEILING LUMINAIRES IN CYLINDRICAL DESIGNS WITH AESTHETIC LIGHTING EFFECT AND TUNABLE WHITE FUNCTION





1
SMART+ WIFI ORBIS Cylinder
450 WT



2
SMART+ WIFI ORBIS Cylinder
450 GR



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	IP ³	K
--------------	------------	-----	-------	----------	-------------------	---	----	-----------------	---

SMART+ WIFI ORBIS Cylinder 450 WT	4058075486560	1	White	Polymethylmethacrylate (PMMA)	30000	24.00	3300	A++/A+/A	3000...6500
SMART+ WIFI ORBIS Cylinder 450 GR	4058075486584	2	Gray	Polymethylmethacrylate (PMMA)	30000	24.00	2800	A++/A+/A	3000...6500

Product name	CRI	°	IP	h [mm]	d [mm]	3
--------------	-----	---	----	--------	--------	---

SMART+ WIFI ORBIS Cylinder 450 WT	>80	110	IP20	15000	134.0	450.0	3
SMART+ WIFI ORBIS Cylinder 450 GR	>80	110	IP20	15000	134.0	450.0	3

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI ORBIS[®] SPIRAL

CEILING LUMINAIRE IN A SPIRAL DESIGN WITH EXCEPTIONAL LIGHTING EFFECT AND WHITE LIGHT CONTROL





1
SMART+ WIFI ORBIS Spiral
500 WT



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	Energy efficiency grade ³	K
SMART+ WIFI ORBIS Spiral 500 WT	4058075486607	1	White	Polymethylmethacrylate (PMMA)	30000	40.00	4300	A++/A+/A	3000...6500

Product name	CRI	Beam angle	IP	h [mm]	d [mm]	Weight
SMART+ WIFI ORBIS Spiral 500 WT	>80	110	IP20	15000	66.0	500.0

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI FLEX MULTICOLOR

FLEXIBLE, EXPANDABLE LED STRIP WITH
WHITE LIGHT AND RGB FUNCTION





1
SMART WIFI FLEX RGBTW
2M



2
SMART WIFI FLEX RGBTW
1M Extension



Product name	GTIN (EAN)	No.	MATERIAL	t[h] ²	W	lm	°C	K	CRI
--------------	------------	-----	----------	-------------------	---	----	----	---	-----

SMART WIFI FLEX RGBTW 2M	4058075515932	1	Silicone	30000	8.50	550	A++/A+/A	2000 ... 6500	>80
SMART WIFI FLEX RGBTW 1M Extension	4058075523838	2	Silicone	30000	3.60	320	A++/A+/A	2000 ... 6500	>80

Product name	°C	IP	h	l [mm]	b [mm]	h [mm]	h [mm]
--------------	----	----	---	--------	--------	--------	--------

SMART WIFI FLEX RGBTW 2M	110	IP20	15000	2000.0	10.0	2.6	4
SMART WIFI FLEX RGBTW 1M Extension	110	IP20	15000	1000.0	10.0	2.6	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI CUBE MULTICOLOR

STYLISH WALL AND BOLLARD LUMINAIRES WITH
COLOR-CHANGING FUNCTION





1
SMART+ WIFI CUBE UpDown



2
SMART+ WIFI CUBE
80CM Post



3
SMART+ WIFI CUBE
50CM Post



4
SMART+ WIFI CUBE Wall



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	lm/W ³	K
--------------	------------	-----	-------	----------	-------------------	---	----	-------------------	---

SMART+ WIFI CUBE UpDown	4058075478077	1	Dark gray	Aluminum	25000	13.50	900	A++/A+/A	RGB, 3000
SMART+ WIFI CUBE 80CM Post	4058075478176	2	Dark gray	Aluminum	25000	9.50	450	A++/A+/A	RGB, 3000
SMART+ WIFI CUBE 50CM Post	4058075478152	3	Dark gray	Aluminum	25000	9.50	450	A++/A+/A	RGB, 3000
SMART+ WIFI CUBE Wall	4058075478114	4	Dark gray	Aluminum	25000	9.50	450	A++/A+/A	RGB, 3000

Product name	CRI	°	IP	lm	l [mm]	b [mm]	h [mm]	kg
--------------	-----	---	----	----	--------	--------	--------	----

SMART+ WIFI CUBE UpDown	≥80	315	IP44	12500	110.0	80.0	205.0	4
SMART+ WIFI CUBE 80CM Post	≥80	205	IP44	12500	120.0	120.0	800.0	2
SMART+ WIFI CUBE 50CM Post	≥80	205	IP44	12500	120.0	120.0	500.0	2
SMART+ WIFI CUBE Wall	≥80	205	IP44	12500	110.0	80.0	116.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI LANTERN FLARE MULTICOLOR

WALL AND BOLLARD LUMINAIRES IN FLARE DESIGNS WITH COLOR-CHANGING FUNCTION



1
SMART+ WIFI FLARE Wall



2
SMART+ WIFI FLARE
60CM Post



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	°	K
--------------	------------	-----	-------	----------	-------------------	---	----	---	---

SMART+ WIFI FLARE Wall	4058075478275	1	Dark gray	Aluminum	25000	7.50	320	A++/A+/A	RGB, 3000
SMART+ WIFI FLARE 60CM Post	4058075478299	2	Dark gray	Aluminum	25000	7.50	320	A++/A+/A	RGB, 3000

Product name	CRI	°	IP	lm	l [mm]	b [mm]	h [mm]	Ø [mm]	mm
--------------	-----	---	----	----	--------	--------	--------	--------	----

SMART+ WIFI FLARE Wall	≥80	230	IP44	12500	98.0	66.0	331.0	-	4
SMART+ WIFI FLARE 60CM Post	≥80	230	IP44	12500	-	-	604.0	110.0	2

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI CURVE MULTICOLOR

WALL LUMINAIRES IN AESTHETIC CURVED DESIGNS WITH
COLOR-CHANGING FUNCTION





1
SMART+ WIFI CURVE DG



2
SMART+ WIFI CURVE SI



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	Energy efficiency grade ³	K
--------------	------------	-----	-------	----------	-------------------	---	----	--------------------------------------	---

SMART+ WIFI CURVE DG	4058075478336	1	Dark gray	Aluminum	25000	9.00	520	A++/A+/A	RGB, 3000
SMART+ WIFI CURVE SI	4058075478350	2	Silver	Aluminum	25000	9.00	520	A++/A+/A	RGB, 3000

Product name	CRI	Beam angle	IP	Beam spread	l [mm]	b [mm]	h [mm]	Weight
--------------	-----	------------	----	-------------	--------	--------	--------	--------

SMART+ WIFI CURVE DG	≥80	260	IP44	12500	93.0	100.0	248.0	4
SMART+ WIFI CURVE SI	≥80	260	IP44	12500	93.0	100.0	248.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI GARDEN POLE MULTICOLOR

DECORATIVE, EXPANDABLE GARDEN LIGHTING WITH
COLOR-CHANGING FUNCTION





1
SMART+ WIFI GARDEN
5 Pole



2
SMART+ WIFI GARDEN
5 Pole mini



3
SMART+ WIFI GARDEN
3 Pole extension



4
SMART+ WIFI GARDEN
3 Pole mini extension



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	Energy efficiency grade ³	K
SMART+ WIFI GARDEN 5 Pole	4058075478213	1	Steel	Stainless steel	25000	5.70	180	A++/A+/A	RGB, 3000
SMART+ WIFI GARDEN 5 Pole mini	4058075478190	2	Steel	Stainless steel	25000	3.80	80	A++/A+/A	RGB, 3000
SMART+ WIFI GARDEN 3 Pole extension	4058075478251	3	Steel	Stainless steel	25000	3.10	45	A++/A+/A	RGB, 3000
SMART+ WIFI GARDEN 3 Pole mini extension	4058075478237	4	Steel	Stainless steel	25000	1.90	108	A++/A+/A	RGB, 3000

Product name	CRI	°	IP	lm	b [mm]	h [mm]	d [mm]	Weight
SMART+ WIFI GARDEN 5 Pole	≥80	280	IP65	12500	38.0	365.0	38.0	4
SMART+ WIFI GARDEN 5 Pole mini	≥80	280	IP65	12500	22.0	227.0	22.0	4
SMART+ WIFI GARDEN 3 Pole extension	≥80	280	IP65	12500	38.0	365.0	38.0	4
SMART+ WIFI GARDEN 3 Pole mini extension	≥80	280	IP65	12500	22.0	227.0	22.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI GARDEN SPOT MULTICOLOR

COMPACT SPOTLIGHTS FOR GARDENS AND TERRACES WITH
COLOR-CHANGING FUNCTION





1
SMART+ WIFI GARDEN
3 Spot



2
SMART+ WIFI GARDEN
1 Spot



3
SMART+ WIFI GARDEN
1 Spot extension




Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	Energy efficiency grade ³	K
SMART+ WIFI GARDEN 3 Spot	4058075478497	1	Dark gray	Aluminum	25000	14.50	680	A++/A+/A	RGB, 3000
SMART+ WIFI GARDEN 1 Spot	4058075478374	2	Dark gray	Aluminum	25000	5.00	260	A++/A+/A	RGB, 3000
SMART+ WIFI GARDEN 1 Spot extension	4058075478398	3	Dark gray	Aluminum	25000	4.50	260	A++/A+/A	RGB, 3000


Product name	CRI	°	IP	Beam angle	l [mm]	b [mm]	h [mm]	Weight
SMART+ WIFI GARDEN 3 Spot	≥80	76	IP65	12500	145.0	90.0	295.0	4
SMART+ WIFI GARDEN 1 Spot	≥80	76	IP65	12500	145.0	90.0	295.0	4
SMART+ WIFI GARDEN 1 Spot extension	≥80	76	IP65	12500	145.0	90.0	295.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI GARDEN DOT MULTICOLOR

SMALL GARDEN SPOTLIGHTS WITH FLEXIBLE MOUNTING AND
COLOR-CHANGING FUNCTION





1
SMART+ WIFI GARDEN
18 Dot

18x



2
SMART+ WIFI GARDEN
9 Dot

9x



3
SMART+ WIFI GARDEN
3 Dot extension

3x



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	°	K
--------------	------------	-----	-------	----------	-------------------	---	----	---	---

SMART+ WIFI GARDEN 18 Dot	4058075478558	1	Transparent	Polycarbonate (PC)	25000	4.00	680	A++/A+/A	RGB
SMART+ WIFI GARDEN 9 Dot	4058075478534	2	Transparent	Polycarbonate (PC)	25000	2.50	380	A++/A+/A	RGB
SMART+ WIFI GARDEN 3 Dot extension	4058075478572	3	Transparent	Polycarbonate (PC)	25000	0.70	110	A++/A+/A	RGB

Product name	°	IP	h	b	d	mm	mm
--------------	---	----	---	---	---	----	----

SMART+ WIFI GARDEN 18 Dot	33	IP65	12500	23.0	96.0	23.0	4
SMART+ WIFI GARDEN 9 Dot	33	IP65	12500	23.0	96.0	23.0	4
SMART+ WIFI GARDEN 3 Dot extension	33	IP65	12500	23.0	96.0	23.0	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI NEON FLEX MULTICOLOR

DECORATIVE LED STRIPS WITH PARTICULARLY HOMOGENEOUS LIGHT DISTRIBUTION – FOR INDOORS AND OUTDOORS





1
SMART+ WIFI NEON FLEX



Product name	GTIN (EAN)	No.	MATERIAL	t[h] ²	W	lm	°C	K	CRI
--------------	------------	-----	----------	-------------------	---	----	----	---	-----

SMART+ WIFI NEON FLEX 5M	4058075504806	1	Silicone	30000	20.00	630	A++/A+/A	2700...6500	>80
SMART+ WIFI NEON FLEX 3M	4058075504783	1	Silicone	30000	15.00	520	A++/A+/A	2700...6500	>80

Product name	°C	IP	h	l [mm]	b [mm]	h [mm]	h [mm]
--------------	----	----	---	--------	--------	--------	--------

SMART+ WIFI NEON FLEX 5M	110	IP44	15000	5000.0	8.8	17.5	4
SMART+ WIFI NEON FLEX 3M	110	IP44	15000	3000.0	8.8	17.5	4

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI FLOOD CAMERA

FLOODLIGHTS WITH AN INTEGRATED CAMERA, INTERCOM,
MOTION AND DAYLIGHT SENSOR





1
SMART+ WIFI FLOOD Camera



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	Energy efficiency grade ³	K	CRI
--------------	------------	-----	-------	----------	-------------------	---	----	--------------------------------------	---	-----

SMART+ WIFI FLOOD Camera	4058075478312	1	Dark gray	Aluminum	25000	24.00	1800	A++/A+/A	3000	>80
--------------------------	---------------	---	-----------	----------	-------	-------	------	----------	------	-----

Product name	IP	l [mm]	b [mm]	h [mm]	Weight [kg]
--------------	----	--------	--------	--------	-------------

SMART+ WIFI FLOOD Camera	IP54	163.0	169.0	250.0	4
--------------------------	------	-------	-------	-------	---

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ WIFI FLOOD

EXTREMELY LOW-PROFILE AND ROBUST FLOODLIGHTS IN DIFFERENT SIZES – ALSO AVAILABLE WITH RGB FUNCTION





1
SMART+ WIFI FLOOD
50 W



2
SMART+ WIFI FLOOD
30W



3
SMART+ WIFI FLOOD
20W



4
SMART+ WIFI FLOOD
10W



Product name	GTIN (EAN)								
SMART+ WIFI FLOOD 50 W	4058075474666	1	Dark gray	Aluminum	30000	50.00	4250	A++/A+/A	3000
SMART+ WIFI FLOOD 30W	4058075474642	2	Dark gray	Aluminum	30000	30.00	2190	A++/A+/A	RGB, 3000
SMART+ WIFI FLOOD 20W	4058075474628	3	Dark gray	Aluminum	30000	20.00	1260	A++/A+/A	RGB, 3000
SMART+ WIFI FLOOD 10W	4058075474604	4	Dark gray	Aluminum	30000	10.00	630	A++/A+/A	RGB, 3000

Product name	CRI		IP					
SMART+ WIFI FLOOD 50 W	≥80	100	IP65	30000	237.0	200.0	36.0	8
SMART+ WIFI FLOOD 30W	≥80	100	IP65	30000	209.0	168.0	30.0	12
SMART+ WIFI FLOOD 20W	≥80	100	IP65	30000	152.0	125.0	28.0	12
SMART+ WIFI FLOOD 10W	≥80	100	IP65	30000	152.0	125.0	28.0	12

* Works with LEDVANCE WIFI Remote Control. For further information, please see page 39. | ¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEI) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ BLUETOOTH: SMART LIGHT VIA VOICE COMMAND

For those who would like to control their light via voice: SMART⁺ Bluetooth is perfectly tailored to work together with a smart speaker from Google. An attractive choice of SMART⁺ Bluetooth products are available to choose from. And the coverage of the network is extended via the Bluetooth Mesh Function with every additional product connected in series.



Type of lamp and
description of base

Functions

Type of technology

Plastic-free
packaging

Compatibility
of voice control
systems



**SMART+ BLUETOOTH
LAMPS AND COMPONENTS****90**

**SMART+ BLUETOOTH
INDOOR ROUND LUMINAIRES****98**

**SMART+ BLUETOOTH
INDOOR LED STRIPS****100**


**SMART+ BLUETOOTH
OUTDOOR WALL AND PATHWAY LUMINAIRES****102**

**SMART+ BLUETOOTH
OUTDOOR LED STRIPS****104**



SMART+ BLUETOOTH CLASSIC LAMP SHAPE

Product name	GTIN (EAN)	No.	W ¹	W	lm	mm	mm ²	K	mm	t ₉₀ ³	mm	d	mm	mm	mm
SMART+ Filament Classic Dimmable															
SMART+ BT CLA67 100 11 W/2700K E27	4058075486089	1	100	11.00	1521	E27	A++	2700	Yes	15000	133.0	67.0	4	4	
SMART+ BT CLA60 44 6 W/2700K E27	4058075486126	2	44	6.00	540	E27	A+	2700	Yes	15000	105.0	60.0	4	4	
SMART+ BT CLA60 55 6 W/2400K E27	4058075208582	3	55	6.00	725	E27	A++	2400	Yes	15000	105.0	60.0	4	4	
SMART+ BT CLA60 60 6 W/2700K B22	4058075486201	4	60	6.00	806	B22	A++	2700	Yes	15000	118.0	60.0	4	4	
SMART+ BT CLA60 60 6 W/2700K E27	4058075208551	5	60	6.00	806	E27	A++	2700	Yes	15000	105.0	60.0	4	4	
SMART+ Classic Dimmable															
SMART+ BT CLA60 60 9 W/2700K E27	4058075208506	4	60	9.00	806	E27	A+	2700	Yes	20000	120.0	60.0	4	4	
SMART+ Classic Tunable White															
SMART+ BT Classic 60 9 W/2700...6500K E27	4058075485198	4	60	9.00	806	E27	A+	2700...6500	Yes	20000	115.0	60.0	4	4	
SMART+ Classic Multicolour															
SMART+ BT CLA60 60 10 W B22d	4058075208476	6	60	9.00	806	B22d	A+	2700...6500	Yes	20000	115.0	60.0	4	4	
SMART+ BT CLA60 60 10 W E27	4058075208469	4	60	9.00	806	E27	A+	2700...6500	Yes	20000	115.0	60.0	4	4	





1



2



SMART+ BLUETOOTH CANDLE LAMPS

Product name	GTIN (EAN)	No.	W ¹	W	lm	Beam angle	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class
--------------	------------	-----	----------------	---	----	------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------

SMART+ Filament Classic Dimmable

SMART+ BT CLB 40 4 W/2700K E14	4058075486102	1	40	4.00	470	E14	A++	2700	Yes	15000	118.0	35.0	4	4
--------------------------------	---------------	---	----	------	-----	-----	-----	------	-----	-------	-------	------	---	---

SMART+ Candle Dimmable

SMART+ BT Candle 40 5 W/2700K E14	4058075485211	2	40	5.00	470	E14	A+	2700	Yes	20000	114.0	38.0	4	4
-----------------------------------	---------------	---	----	------	-----	-----	----	------	-----	-------	-------	------	---	---

SMART+ Candle Tunable White

















SMART+ BT Candle 40 5 W/2700...6500K E14	4058075485235	2	40	5.00	470	E14	A+	2700...6500	Yes	20000	114.0	38.0	4	4
--	---------------	---	----	------	-----	-----	----	-------------	-----	-------	-------	------	---	---



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH MINI-GLOBE LAMPS

Product name	GTIN (EAN)													
SMART+ Mini bulb Dimmable 														
SMART+ BT Mini bulb 40 5 W/2700K E14	4058075485259	1	40	5.00	470	E14	A+	2700	Yes	20000	78.0	40.0	4	4
SMART+ Mini bulb Tunable White  														
SMART+ BT Mini bulb 40 5 W/2700...6500K E14	4058075485273	1	40	5.00	470	E14	A+	2700...6500	Yes	20000	78.0	40.0	4	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH FILAMENT LAMPS WITH EDISON BULB

Product name	GTIN (EAN)	No.	W ¹	W	lm	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class	Energy efficiency class
--------------	------------	-----	----------------	---	----	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------	-------------------------

SMART+ Filament Edison Dimmable

SMART BTE60D 6W/827 230V FILSME27X1LEDV	4058075486140	1	44	6.00	540	E27	A+	2700	Yes	15000	143.0	64.0	4	4
SMART+ BT CLA EDISON 55 6 W/2400K E27	4058075208605	2	55	6.00	725	E27	A++	2400	Yes	15000	143.0	64.0	4	4
SMART+ BT CLA EDISON 60 6 W/2700K E27	4058075208575	3	60	6.00	806	E27	A++	2700	Yes	15000	143.0	64.0	4	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH FILAMENT LAMPS WITH GLOBE BULB

Product name	GTIN (EAN)	No.	W ¹	W	lm	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)
--------------	------------	-----	----------------	---	----	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------	-------------------------------

SMART+ Filament Globe Dimmable

Product name	GTIN (EAN)	No.	W ¹	W	lm	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)	Energy efficiency class (EEC)
SMART+ BT CLA GLOBE125 48 6 W/2700K E27	4058075486164	1	48	6.00	600	E27	A+	2700	Yes	15000	168.0	124.0	4	4	4
SMART+ BT CLA GLOBE60 55 6 W/2400K E27	4058075208599	2	55	6.00	725	E27	A++	2400	Yes	15000	168.0	124.0	4	4	4
SMART+ BT CLA GLOBE60 60 6 W/2700K E27	4058075208568	3	60	6.00	806	E27	A++	2700	Yes	15000	168.0	124.0	4	4	4
SMART+ BT CLA GLOBE200 37 6 W/2700K E27	4058075486188	4	37	6.00	430	E27	A+	2700	Yes	15000	290.0	200.0	2	2	2



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH REFLECTOR LAMPS

Product name	GTIN (EAN)	No.	W ¹	W	lm										
<div> No. W¹ W lm </div>															
<div> DIM </div>															
SMART+ Spot GU10 Dimmable															
SMART+ BT SPOT 40 45° 5 W/2700K GU10	4058075485297	1	40	5.00	350	GU10	A+	2700	Yes	20000	58.0	50.0	4	4	
SMART+ Spot GU10 Tunable White															
SMART+ BT SPOT 40 45° 5 W/2700...6500K GU10	4058075485310	2	40	5.00	350	GU10	A+	2700...6500	Yes	20000	55.0	50.0	4	4	
SMART+ Spot GU10 Multicolour															
SMART+ BT SPOT 40 100° 5 W/2700...6500K GU10	4058075485334	3	40	5.00	350	GU10	A+	2700...6500	Yes	20000	58.0	50.0	4	4	



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ BLUETOOTH PLUG INDOOR AND OUTDOOR

Product name

GTIN (EAN)

No.

SCHUTZ-KLASSE


A MAX

COLOR




IP

SMART+ Outdoor Plug									
SMART+ BT OUTDOOR PLUG EU	4058075503106	1	I	16	White	IP44	8	8	
SMART+ Plug									
SMART+ BT PLUG EU	4058075208513	2	I	16	White	IP20	4	4	
SMART+ BT PLUG UK	4058075208520	3	I	13	White	IP20	4	4	





SMART⁺ BLUETOOTH STARTER KITS WITH GOOGLE NEST MINI

Product name	GTIN (EAN)	 No.		
STARTER KIT SMART HOME				
Google Mini Bundle chalk Classic A60 FIL DIM E27 BT	4058075463493	1	2	2
Google Mini Bundle black Classic A60 FIL DIM E27 BT	4058075463516	2	2	2
Google Mini Bundle coral Classic A60 FIL DIM E27 BT	4058075463530	3	2	2
STARTER KIT SMART HOME				
Google Mini Bundle chalk Classic A60 FR RGBW E27 BT	4058075487444	4	2	2
Google Mini Bundle black Classic A60 FR RGBW E27 BT	4058075487468	5	2	2
STARTER KIT SMART HOME				
Google Mini Bundle black Indoor Plug BT	4058075487482	6	2	2
STARTER KIT SMART HOME				
Google Mini Bundle chalk Indoor Flex RGBW	4058075487505	7	2	2



SMART⁺ BLUETOOTH TIBEA

AESTHETIC WALL AND CEILING LUMINAIRES – INCLUDING THE RIGHT BLUETOOTH LAMPS





1
SMART+ BT TIBEA Lamp
22W E27 Tunable White



2
SMART+ BT TIBEA Pendant Tunable White



3
SMART+ BT TIBEA Ceiling Tunable White



4
SMART+ BT TIBEA MINI Tunable White



Product name	GTIN (EAN)		COLOR	MATERIAL		W	lm		K	CRI
SMART+ BT TIBEA Lamp 22W E27 Tunable White	4058075168596	1	-	-	20000	22.00	2000	A+	2700...6500	>80
SMART+ BT TIBEA Pendant Tunable White	4058075345423	2	White	Aluminum	20000	22.00	1250	A+	2700...6500	>80
SMART+ BT TIBEA Ceiling Tunable White	4058075345409	3	White	Aluminum	20000	22.00	1350	A+	2700...6500	>80
SMART+ BT TIBEA MINI Tunable White	4058075345447	4	White	Aluminum	20000	22.00	1600	A+	2700...6500	>80

Product name	IP					
SMART+ BT TIBEA Lamp 22W E27 Tunable White	IP20	100000	-	67.0	180.0	4
SMART+ BT TIBEA Pendant Tunable White	IP20	100000	-	69.0	350.0	2
SMART+ BT TIBEA Ceiling Tunable White	IP20	100000	-	51.0	500.0	2
SMART+ BT TIBEA MINI Tunable White	IP20	100000	-	51.0	220.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EII) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ BLUETOOTH FLEX MULTICOLOR

FLEXIBLE LED STRIPS FOR INDOOR USE WITH
TUNABLE WHITE LIGHT AND RGB FUNCTION





1
SMART+ BT FLEX
3M



Product name	GTIN (EAN)	No.	MATERIAL	t[h] ²	W	lm	°	K	CRI
--------------	------------	-----	----------	-------------------	---	----	---	---	-----

SMART+ BT FLEX 5M	4058075504844	1	Silicone	30000	16.00	1100	A++/A+/A	2000 ... 6500	>80
SMART+ BT FLEX 3M	4058075504820	1	Silicone	30000	12.00	900	A++/A+/A	2000 ... 6500	>80

Product name	°	IP	mm	l [mm]	b [mm]	h [mm]	mm
--------------	---	----	----	--------	--------	--------	----

SMART+ BT FLEX 5M	110	IP20	15000	5000.0	10.0	2.6	4
SMART+ BT FLEX 3M	110	IP20	15000	3000.0	10.0	2.6	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ BLUETOOTH MODERN LANTERN MULTICOLOR

PURISTIC WALL AND BOLLARD LUMINAIRES WITH
TUNABLE WHITE AND RGB FUNCTION





1
SMART+ MODERN LANTERN Wall
Multicolor



2
SMART+ MODERN LANTERN Bollard
90cm Multicolor



3
SMART+ MODERN LANTERN Bollard
50cm Multicolor



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	lm/h ³	K	CRI
--------------	------------	-----	-------	----------	-------------------	---	----	-------------------	---	-----

SMART+ MODERN LANTERN Wall Multicolor	4058075184572	1	Dark gray	Aluminum	25000	12.00	650	A	RGB, 2000...6500	80
SMART+ MODERN LANTERN Bollard 90cm Multicolor	4058075184619	2	Dark gray	Aluminum	25000	12.00	650	A	RGB, 2000...6500	80
SMART+ MODERN LANTERN Bollard 50cm Multicolor	4058075184589	3	Dark gray	Aluminum	25000	12.00	650	A	RGB, 2000...6500	80


Product name	°	IP	Icon	l [mm]	b [mm]	h [mm]	∅ d [mm]	Icon
--------------	---	----	------	--------	--------	--------	----------	------

SMART+ MODERN LANTERN Wall Multicolor	360	IP44	100000	176.0	110.0	240.0	-	4
SMART+ MODERN LANTERN Bollard 90cm Multicolor	360	IP44	100000	-	-	900.0	110.0	2
SMART+ MODERN LANTERN Bollard 50cm Multicolor	360	IP44	100000	-	-	500.0	110.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ BLUETOOTH FLEX OUTDOOR MULTICOLOR

FLEXIBLE LED STRIP WITH COLOR-CHANGING FUNCTION AND TUNABLE WHITE – FOR OUTDOOR USE





1
SMART+ BT FLEX



Product name	GTIN (EAN)	No.	MATERIAL	t ²	W	lm	°	K	CRI
--------------	------------	-----	----------	----------------	---	----	---	---	-----

SMART+ BT FLEX 5M	4058075504882	1	Silicone	30000	16.00	1100	A++/A+/A	RGB, 2000 ... 6500	>80
SMART+ BT FLEX 3M	4058075504868	1	Silicone	30000	12.00	850	A++/A+/A	RGB, 2000 ... 6500	>80

Product name	°	IP	h	l [mm]	b [mm]	h [mm]	h [mm]
--------------	---	----	---	--------	--------	--------	--------

SMART+ BT FLEX 5M	110	IP44	15000	5000.0	12.0	4.5	4
SMART+ BT FLEX 3M	110	IP44	15000	3000.0	12.0	4.5	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ ZIGBEE: SMART LIGHT FOR THE INTELLIGENT HOME

For those who would like to control their light via a gateway: The SMART⁺ Zigbee products are compatible with a multitude of smart home systems. The operation occurs here via the partner system app. The wide choice of lamps and luminaires are especially suitable for customers who would like to well and truly exploit the potential of smart lighting in combination with other smart home functions.



Type of lamp and
description of base

Functions

Type of technology

Plastic-free
packaging


Compatibility
of voice control
systems





**SMART+ ZIGBEE
LAMPS AND COMPONENTS****108**

**SMART+ ZIGBEE
INDOOR PANEL LUMINAIRES****118**

**SMART+ ZIGBEE
INDOOR ROUND LUMINAIRES****120**

**SMART+ ZIGBEE
INDOOR UNDER CABINET LUMINAIRES****124**

**SMART+ ZIGBEE
INDOOR LED STRIPS****126**

**SMART+ ZIGBEE
OUTDOOR GARDEN LUMINAIRES****128**

**SMART+ ZIGBEE
OUTDOOR LED STRIPS****130**



SMART+ ZIGBEE CLASSIC LAMP SHAPE

Product name	GTIN (EAN)	No.	W ¹	W	lm	Beam	Energy	Class	Life	Dim	Temp	Size	Weight	Box
SMART+ Classic Dimmable														
SMART+ ZB CLA60 60 8.5 W E27	4058075208377	1	60	9.00	806	E27	A+	2700	Yes	20000	115.0	60.0	4	4
SMART+ ZB CLA55 FIL 6 W E27	4058075528178	2	55	6.00	680	E27	A++	2700	Yes	15000	114.0	60.0	4	4
SMART+ Classic Tunable White														
SMART+ ZB CLA60 60 8.5 W E27	4058075208384	1	60	9.00	806	E27	A+	2700...6500	Yes	20000	110.0	60.0	4	4
SMART+ Classic Multicolour														
SMART+ ZB CLA60 60 10 W E27	4058075208391	1	60	9.00	806	E27	A+	2700...6500	Yes	20000	115.0	60.0	4	4
SMART+ ZB CLA60 60 10 W B22d	4058075208407	3	60	9.00	806	B22d	A+	2700...6500	Yes	20000	120.0	60.0	4	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



1



SMART+ ZIGBEE CANDLE LAMPS

Product name	GTIN (EAN)	No.	W ¹	W	lm	Beam angle	Energy efficiency class	Life span	Color temperature	Dimmable	Beam diameter	Beam angle	Beam diameter	Beam angle	Beam diameter
--------------	------------	-----	----------------	---	----	------------	-------------------------	-----------	-------------------	----------	---------------	------------	---------------	------------	---------------

SMART+ Candle Dimmable

SMART+ ZB CANDLE 40 5 W/2700K E14	4058075208421	1	40	5.00	470	E14	A+	2700	Yes	20000	114.0	38.0	4	4
-----------------------------------	---------------	---	----	------	-----	-----	----	------	-----	-------	-------	------	---	---



SMART+ Candle Tunable White
















SMART+ ZB CANDLE 40 6 W E14	4058075208414	1	40	5.00	470	E14	A+	2700...6500	Yes	20000	114.0	38.0	4	4
-----------------------------	---------------	---	----	------	-----	-----	----	-------------	-----	-------	-------	------	---	---



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE MINI-GLOBE LAMPS

Product name	GTIN (EAN)													
SMART+ Mini bulb Dimmable 														
SMART+ ZB Mini bulb 40 5 W/2700K E14	4058075485150	1	40	5.00	470	E14	A+	2700	Yes	20000	78.0	40.0	4	4
SMART+ Mini bulb Tunable White  														
SMART+ ZB Mini bulb 40 5 W/2700...6500K E14	4058075485174	2	40	5.00	470	E14	A+	2700...6500	Yes	20000	78.0	40.0	4	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



1



SMART⁺ ZIGBEE FILAMENT LAMP WITH EDISON BULB

Product name

GTIN (EAN)



SMART+ bulb Dimmable















SMART+ ZB E55 FIL 6 W E27	4058075528192	1	55	6.00	680	E27	A++	2400	Yes	15000	162.0	64.0	4	4
---------------------------	---------------	---	----	------	-----	-----	-----	------	-----	-------	-------	------	---	---



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



SMART+ ZIGBEE FILAMENT LAMP WITH GLOBE BULB

Product name	GTIN (EAN)													
SMART+ bulb Dimmable														
SMART+ ZB G55 FIL 6 W E27	4058075528215	1	55	6.00	680	E27	A++	2400	Yes	15000	190.0	120.0	4	4



¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



1

2



SMART⁺ ZIGBEE REFLECTOR LAMPS

Product name

GTIN (EAN)



SMART+ Spot GU10 Dimmable

SMART+ ZB SPOT 5 W 220...240 V 45° GU10	4058075208452	1	40	5.00	350	GU10	A+	2700	Yes	20000	58.0	50.0	4	4
---	---------------	---	----	------	-----	------	----	------	-----	-------	------	------	---	---



SMART+ Spot GU10 Tunable White

SMART+ ZB SPOT 5 W 220...240 V 45° GU10	4058075208438	2	40	5.00	350	GU10	A+	2700...6500	Yes	20000	55.0	50.0	4	4
---	---------------	---	----	------	-----	------	----	-------------	-----	-------	------	------	---	---



SMART+ Spot GU10 Multicolour

SMART+ ZB SPOT 5 W 220...240 V 100° GU10	4058075208445	1	40	5.00	350	GU10	A+	2700...6500	Yes	20000	58.0	50.0	4	4
--	---------------	---	----	------	-----	------	----	-------------	-----	-------	------	------	---	---








¹ Wattage of the conventional lamp to be replaced | ² Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency) | ³ Average lifespan in hrs



1



SMART+ ZIGBEE MOTION SENSOR

Product name	GTIN (EAN)	 No.	Type of Battery	 l [mm]	 b [mm]	 h [mm]		
SMART+ Motion Sensor SMART+ Motion sensor	4058075209084	1	3 V CR2 Lithium battery	25.0	43.0	45.0	4	4





SMART+ ZIGBEE PLUG INDOOR AND OUTDOOR

Product name

GTIN (EAN)

No.

SCHUTZ-
KLASSE

A
MAX

COLOR

IP

SMART+ Plug									
SMART+ ZB PLUG EU	4058075208315	1	I	16	White	IP20	4	4	
SMART+ ZB PLUG UK	4058075208322	2	2	13	White	IP20	4	4	
SMART+ Outdoor Plug									
SMART+ ZB OUTDOOR PLUG EU	4058075209985	3	I	16	White	IP44	8	8	
SMART+ ZB OUTDOOR PLUG UK	4058075210004	4	I	13	White	IP44	8	8	








1



SMART+ ZIGBEE REMOTE CONTROL

Product name	GTIN (EAN)	 No.	Type of Battery		COLOR	 l (mm)	 b (mm)	 h (mm)		
SMART+ Switch Mini SMART+ ZB SWITCH MINI White	4058075209091	1	3 V CR2450 Button cell	41.60	White	80.0	40.0	14.0	4	4





SMART⁺ ZIGBEE PANEL TUNABLE WHITE

WALL AND CEILING PANEL LUMINAIRE WITH
WHITE LIGHT CONTROL





1
SMART+ PANEL
30 x 120cm Tunable White



2
SMART+ PANEL
60 x 60cm Tunable White



3
SMART+ PANEL
60 x 30cm Tunable White



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	UPE ³	K	CRI
SMART+ PANEL 30 x 120cm Tunable White	4058075181519	1	White	Aluminum	20000	30.00	2800	A+	2700...6500	≥80
SMART+ PANEL 60 x 60cm Tunable White	4058075181472	2	White	Aluminum	20000	30.00	2800	A+	2700...6500	≥80
SMART+ PANEL 60 x 30cm Tunable White	4058075181496	3	White	Aluminum	20000	15.00	1250	A	2700...6500	≥80

Product name	IP	l [mm]	b [mm]	h [mm]	W
SMART+ PANEL 30 x 120cm Tunable White	IP20	100000	1200.0	300.0	42.0
SMART+ PANEL 60 x 60cm Tunable White	IP20	100000	600.0	600.0	57.0
SMART+ PANEL 60 x 30cm Tunable White	IP20	100000	600.0	300.0	47.0

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ ZIGBEE CEILING

ROUND CEILING LUMINAIRE IN AN ELEGANT, MINIMALIST DESIGN –
WITH TUNABLE WHITE FUNCTION





1
SMART+ ZB Ceiling
33cm



Product name	GTIN (EAN)		COLOR		 ²	W	lm	 ³	K
SMART+ ZB Ceiling 33cm	4058075235526	1	White	Plastic	20000	23.00	1800	A+++/A+/A	2700...6500

Product name	CRI		IP		 ^h (mm)	 ^d (mm)	
SMART+ ZB Ceiling 33cm	80	120	IP20	10000	40.5	330.0	2

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ ZIGBEE TIBEA

AESTHETIC WALL AND CEILING LUMINAIRES – INCLUDING THE RIGHT ZIGBEE LAMPS





1
SMART+ ZB TIBEA Pendant Tunable White



2
SMART+ ZB TIBEA Ceiling Tunable White



3
SMART+ ZB TIBEA MINI Tunable White



Product name	GTIN (EAN)		COLOR	MATERIAL	$t_{[h]}$ ²	W	lm		K	CRI
SMART+ ZB TIBEA Pendant Tunable White	4058075345362	1	White	Aluminum	20000	22.00	1250	A+	2700...6500	>80
SMART+ ZB TIBEA Ceiling Tunable White	4058075345348	2	White	Aluminum	20000	22.00	1350	A+	2700...6500	>80
SMART+ ZB TIBEA MINI Tunable White	4058075345386	3	White	Aluminum	20000	22.00	1600	A+	2700...6500	>80

Product name	IP		h [mm]	d [mm]	
SMART+ ZB TIBEA Pendant Tunable White	IP20	100000	69.0	350.0	2
SMART+ ZB TIBEA Ceiling Tunable White	IP20	100000	51.0	500.0	2
SMART+ ZB TIBEA MINI Tunable White	IP20	100000	51.0	220.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ ZIGBEE UNDERCABINET TUNABLE WHITE

VERY SLIM UNDER-CABINET LUMINAIRE WITH WHITE LIGHT CONTROL – CAN BE EXTENDED TO STRIP LIGHTING





1
SMART+ ZB UNDERCABINET
50 cm



2
SMART+ ZB UNDERCABINET
50cm Extension



3
SMART+ ZB UNDERCABINET
30 cm



4
SMART+ ZB UNDERCABINET
30cm Extension



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	lm/h ³	K	CRI
SMART+ ZB UNDERCABINET 50 cm	4058075173989	1	White	Plastic	20000	10.00	500	A	2700...6500	≥80
SMART+ ZB UNDERCABINET 50cm Extension	4058075174023	2	White	Plastic	20000	8.00	500	A+	2700...6500	≥80
SMART+ ZB UNDERCABINET 30 cm	4058075173972	3	White	Plastic	20000	6.00	300	A	2700...6500	≥80
SMART+ ZB UNDERCABINET 30cm Extension	4058075174016	4	White	Plastic	20000	5.00	300	A+	2700...6500	≥80

Product name	△	IP	100000	l [mm]	b [mm]	h [mm]	8
SMART+ ZB UNDERCABINET 50 cm	110	IP20	100000	550.0	37.0	8.0	8
SMART+ ZB UNDERCABINET 50cm Extension	110	IP20	100000	500.0	37.0	8.0	8
SMART+ ZB UNDERCABINET 30 cm	110	IP20	100000	350.0	37.0	8.0	8
SMART+ ZB UNDERCABINET 30cm Extension	110	IP20	100000	300.0	37.0	8.0	8

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ ZIGBEE FLEX MULTICOLOR

FLEXIBLE, EXPANDABLE LED STRIP WITH TUNABLE WHITE LIGHT
AND RGB FUNCTION





1
SMART+ ZB FLEX
3P RGBW



2
SMART+ ZB FLEX RGBW EXT



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	B ³	K	CRI
--------------	------------	-----	-------	----------	-------------------	---	----	----------------	---	-----

SMART+ ZB FLEX 3P RGBW	4058075208339	1	White	Plastic	20000	11.00	700	A	2000...6500	80
SMART+ ZB FLEX RGBW EXT	4058075208612	2	White	Plastic	20000	6.00	500	A	2000...6500	80

Product name	°	IP	mm	l [mm]	b [mm]	h [mm]	mm
--------------	---	----	----	--------	--------	--------	----

SMART+ ZB FLEX 3P RGBW	120	IP20	1000000	1800.0	12.0	3.0	4
SMART+ ZB FLEX RGBW EXT	120	IP20	1000000	1200.0	12.0	3.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ ZIGBEE GARDENPOLE MULTICOLOR

DECORATIVE, EXPANDABLE GARDEN SPOTLIGHTS WITH
COLOR-CHANGING FUNCTION





1
SMART+ ZB GARDENPOLE Basic Set



2
SMART+ ZB GARDENPOLE Extension



3
SMART+ ZB GARDENPOLE Basic Set Mini



4
SMART+ ZB GARDENPOLE Extension Mini



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	°	K	CRI
SMART+ ZB GARDENPOLE Basic Set	4058075208346	1	Gray	Aluminum	20000	8.50	420	A	RGB, 2000...6500	>80
SMART+ ZB GARDENPOLE Extension	4058075208629	2	Gray	Aluminum	20000	4.30	250	A	RGB, 2000...6500	>80
SMART+ ZB GARDENPOLE Basic Set Mini	4058075208353	3	Gray	Aluminum	20000	4.20	180	A	RGB, 2000...6500	80
SMART+ ZB GARDENPOLE Extension Mini	4058075208636	4	Gray	Aluminum	20000	2.10	110	A	RGB, 2000...6500	80

Product name	°	IP	lm	l [mm]	b [mm]	h [mm]	d [mm]	kg
SMART+ ZB GARDENPOLE Basic Set	90	IP65	10000	14000.0	38.0	365.0	38.0	2
SMART+ ZB GARDENPOLE Extension	90	IP65	10000	6000.0	-	270.0	38.0	2
SMART+ ZB GARDENPOLE Basic Set Mini	90	IP65	10000	-	23.0	227.0	23.0	4
SMART+ ZB GARDENPOLE Extension Mini	80	IP65	10000	-	-	227.0	23.0	4

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EII) on a scale of A++ (highest efficiency) to E (lowest efficiency).

SMART⁺ ZIGBEE FLEX OUTDOOR MULTICOLOR

FLEXIBLE LED STRIP WITH COLOR-CHANGING FUNCTION AND TUNABLE WHITE – FOR OUTDOOR USE





1
SMART+ ZB OUTDOOR FLEX



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm	B _a ³	K	CRI
--------------	------------	-----	-------	----------	-------------------	---	----	-----------------------------	---	-----

SMART+ ZB OUTDOOR FLEX EU	4058075208360	1	White	Plastic	20000	24.00	1500	A	2000...6500	>80
---------------------------	---------------	---	-------	---------	-------	-------	------	---	-------------	-----

Product name	°	IP	mm	mm	h [mm]	mm
--------------	---	----	----	----	--------	----

SMART+ ZB OUTDOOR FLEX EU	120	IP65	1000000	4880.0	14.5	4.0	4
---------------------------	-----	------	---------	--------	------	-----	---

¹ The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | ² Average lifetime in hours | ³ Energy efficiency grade of the permanently integrated, non-exchangeable LED modules. Energy efficiency index (EEL) on a scale of A++ (highest efficiency) to E (lowest efficiency).

INDEX AND EAN CODES

CONTENT

ALPHABETICAL PRODUCT INDEX	134
----------------------------	-----

OVERVIEW EAN CODES	136
--------------------	-----

LEGAL NOTICE	145
--------------	-----

ALPHABETICAL PRODUCT INDEX SMART⁺

C	
CANDLE DIMMABLE SINGLE PACK SMART ⁺ WIFI	29
CANDLE DIMMABLE SMART ⁺ BLUETOOTH	91
CANDLE DIMMABLE SMART ⁺ ZIGBEE	109
CANDLE DIMMABLE TRIPLE PACK SMART ⁺ WIFI	35
CANDLE MULTICOLOUR SINGLE PACK SMART ⁺ WIFI	29
CANDLE MULTICOLOUR TRIPLE PACK SMART ⁺ WIFI	35
CANDLE TUNABLE WHITE SINGLE PACK SMART ⁺ WIFI	29
CANDLE TUNABLE WHITE SMART ⁺ BLUETOOTH	91
CANDLE TUNABLE WHITE SMART ⁺ ZIGBEE	109
CANDLE TUNABLE WHITE TRIPLE PACK SMART ⁺ WIFI	35
CEILING SMART ⁺ ZIGBEE	120
CLASSIC DIMMABLE SINGLE PACK SMART ⁺ WIFI	28
CLASSIC DIMMABLE SMART ⁺ BLUETOOTH	90
CLASSIC DIMMABLE SMART ⁺ ZIGBEE	108
CLASSIC DIMMABLE TRIPLE PACK SMART ⁺ WIFI	34
CLASSIC MULTICOLOUR SINGLE PACK SMART ⁺ WIFI	28
CLASSIC MULTICOLOUR SMART ⁺ BLUETOOTH	90
CLASSIC MULTICOLOUR SMART ⁺ ZIGBEE	108
CLASSIC MULTICOLOUR TRIPLE PACK SMART ⁺ WIFI	34
CLASSIC TUNABLE WHITE SINGLE PACK SMART ⁺ WIFI	28
CLASSIC TUNABLE WHITE SMART ⁺ BLUETOOTH	90
CLASSIC TUNABLE WHITE SMART ⁺ ZIGBEE	108
CLASSIC TUNABLE WHITE TRIPLE PACK SMART ⁺ WIFI	34
CUBE MULTICOLOR SMART ⁺ WIFI	70
CURVE MULTICOLOR SMART ⁺ WIFI	74
F	
FILAMENT EDISON DIMMABLE SMART ⁺ BLUETOOTH	93
FILAMENT EDISON DIMMABLE SMART ⁺ WIFI	31
FILAMENT EDISON DIMMABLE SMART ⁺ ZIGBEE	111
FILAMENT GLOBE DIMMABLE SMART ⁺ BLUETOOTH	94
FILAMENT GLOBE DIMMABLE SMART ⁺ WIFI	32
FILAMENT GLOBE DIMMABLE SMART ⁺ ZIGBEE	112
FLEX MULTICOLOR SMART ⁺ BLUETOOTH	100
FLEX MULTICOLOR SMART ⁺ WIFI	68
FLEX MULTICOLOR SMART ⁺ ZIGBEE	126
FLEX OUTDOOR MULTICOLOR SMART ⁺ BLUETOOTH	104
FLEX OUTDOOR MULTICOLOR SMART ⁺ ZIGBEE	130
FLOOD CAMERA SMART ⁺ WIFI	84
FLOOD SMART ⁺ WIFI	86
G	
GARDEN DOT MULTICOLOR SMART ⁺ WIFI	80
GARDEN POLE MULTICOLOR SMART ⁺ WIFI	76
GARDEN POLE MULTICOLOR SMART ⁺ ZIGBEE	128
GARDEN SPOT MULTICOLOR SMART ⁺ WIFI	78

L	
LANTERN FLARE MULTICOLOR SMART ⁺ WIFI	72
M	
MINI BULB DIMMABLE SINGLE PACK SMART ⁺ WIFI	30
MINI BULB DIMMABLE SMART ⁺ BLUETOOTH	92
MINI BULB DIMMABLE SMART ⁺ ZIGBEE	110
MINI BULB DIMMABLE TRIPLE PACK SMART ⁺ WIFI	36
MINI BULB MULTICOLOUR SINGLE PACK SMART ⁺ WIFI	30
MINI BULB MULTICOLOUR TRIPLE PACK SMART ⁺ WIFI	36
MINI BULB TUNABLE WHITE SINGLE PACK SMART ⁺ WIFI	30
MINI BULB TUNABLE WHITE SMART ⁺ BLUETOOTH	92
MINI BULB TUNABLE WHITE SMART ⁺ ZIGBEE	110
MINI BULB TUNABLE WHITE TRIPLE PACK SMART ⁺ WIFI	36
MODERN LANTERN MULTICOLOR SMART ⁺ BLUETOOTH	102
MOTION SENSOR SMART ⁺ ZIGBEE	114
N	
NEON FLEX MULTICOLOR SMART ⁺ WIFI	82
O	
ORBIS® CROMO SMART ⁺ WIFI	58
ORBIS® CYLINDER SMART ⁺ WIFI	64
ORBIS® DONUT SMART ⁺ WIFI	50
ORBIS® EYE SMART ⁺ WIFI	62
ORBIS® FRAME SMART ⁺ WIFI	60
ORBIS® KITE SMART ⁺ WIFI	52
ORBIS® MOON SMART ⁺ WIFI	54
ORBIS® PLATE SMART ⁺ WIFI	56
ORBIS® SPIRAL SMART ⁺ WIFI	66
P	
PANEL TUNABLE WHITE SMART ⁺ ZIGBEE	118
PLANON™ FRAMELESS RECTANGULAR SMART ⁺ WIFI	42
PLANON™ FRAMELESS ROUND SMART ⁺ WIFI	44
PLANON™ FRAMELESS SQUARE SMART ⁺ WIFI	40
PLANON™ PLUS RECTANGULAR SMART ⁺ WIFI	48
PLANON™ PLUS SQUARE SMART ⁺ WIFI	46
PLUG INDOOR SMART ⁺ BLUETOOTH	96
PLUG INDOOR SMART ⁺ WIFI	38
PLUG INDOOR SMART ⁺ ZIGBEE	115
PLUG OUTDOOR SMART ⁺ BLUETOOTH	96
PLUG OUTDOOR SMART ⁺ WIFI	38
PLUG OUTDOOR SMART ⁺ ZIGBEE	115
R	
REMOTE CONTROLLER SMART ⁺ WIFI	39



S

SPOT GU10 DIMMABLE SINGLE PACK SMART ⁺ WIFI	33
SPOT GU10 DIMMABLE SMART ⁺ BLUETOOTH	95
SPOT GU10 DIMMABLE SMART ⁺ ZIGBEE	113
SPOT GU10 DIMMABLE TRIPLE PACK SMART ⁺ WIFI	37
SPOT GU10 MULTICOLOUR SINGLE PACK SMART ⁺ WIFI	33
SPOT GU10 MULTICOLOUR SMART ⁺ BLUETOOTH	95
SPOT GU10 MULTICOLOUR SMART ⁺ ZIGBEE	113
SPOT GU10 MULTICOLOUR TRIPLE PACK SMART ⁺ WIFI	37
SPOT GU10 TUNABLE WHITE SINGLE PACK SMART ⁺ WIFI	33
SPOT GU10 TUNABLE WHITE SMART ⁺ BLUETOOTH	95
SPOT GU10 TUNABLE WHITE SMART ⁺ ZIGBEE	113
SPOT GU10 TUNABLE WHITE TRIPLE PACK SMART ⁺ WIFI	37
STARTER KIT GOOGLE NEST MINI CLASSIC A60 FIL DIM E27 SMART ⁺ BLUETOOTH	97
STARTER KIT GOOGLE NEST MINI CLASSIC A60 FR RGBW E27 SMART ⁺ BLUETOOTH	97
STARTER KIT GOOGLE NEST MINI INDOOR FLEX RGBW SMART ⁺ BLUETOOTH	97
STARTER KIT GOOGLE NEST MINI INDOOR PLUG SMART ⁺ BLUETOOTH	97
SWITCH MINI REMOTE CONTROL SMART ⁺ ZIGBEE	116

T

TIBEA SMART ⁺ BLUETOOTH	98
TIBEA SMART ⁺ ZIGBEE	122

U

UNDERCABINET TUNABLE WHITE SMART ⁺ ZIGBEE	124
--	-----

OVERVIEW EAN CODES SMART⁺

EAN BARCODES FOR EFFICIENT PLANNING

SMART⁺ WIFI

LAMPS AND COMPONENTS	28
INDOOR PANEL LUMINAIRES	40
INDOOR ROUND LUMINAIRES	50
INDOOR LED STRIPS	68
OUTDOOR WALL AND PATHWAY LUMINAIRES	70
OUTDOOR GARDEN LUMINAIRES	76
OUTDOOR LED STRIPS	82
OUTDOOR FLOODLIGHTS	84

SMART⁺ BLUETOOTH

LAMPS AND COMPONENTS	90
INDOOR ROUND LUMINAIRES	98
INDOOR LED STRIPS	100
OUTDOOR WALL AND PATHWAY LUMINAIRES	102
OUTDOOR LED STRIPS	104



SMART⁺ ZIGBEE

LAMPS AND COMPONENTS	108
INDOOR PANEL LUMINAIRES	118
INDOOR ROUND LUMINAIRES	120
INDOOR UNDER CABINET LUMINAIRES	124
INDOOR LED STRIPS	126
OUTDOOR GARDEN LUMINAIRES	128
OUTDOOR LED STRIPS	130

SMART⁺ WIFI LAMPS AND COMPONENTS

SMART⁺ WIFI CLASSIC LAMP SHAPE SINGLE PACK


SMART⁺ WiFi Classic Dimmable (see p. 28)



SMART⁺ WiFi Classic Tunable White (see p. 28)



SMART⁺ WiFi Classic Multicolour (see p. 28)



SMART⁺ WIFI CANDLE LAMPS SINGLE PACKS

SMART⁺ WiFi Candle Dimmable (see p. 29)



SMART⁺ WiFi Candle Tunable White (see p. 29)



SMART⁺ WiFi Candle Multicolour (see p. 29)



SMART⁺ WIFI MINI-GLOBE LAMPS SINGLE PACKS

SMART⁺ WiFi Mini Bulb Dimmable (see p. 30)



SMART⁺ WiFi Mini Bulb Tunable White (see p.30)



SMART⁺ WiFi Mini Bulb Multicolour (see p.30)



SMART⁺ WIFI FILAMENT LAMP WITH EDISON BULB

SMART⁺ Filament Edison Dimmable (see p. 31)



SMART⁺ WIFI FILAMENT LAMP WITH GLOBE BULB

SMART⁺ Filament Globe Dimmable (see p. 32)



SMART⁺ WIFI REFLECTOR LAMPS SINGLE PACKS

SMART⁺ WiFi SPOT GU10 Dimmable (see p. 33)



SMART⁺ WiFi SPOT GU10 Tunable White (see p. 33)



SMART⁺ WiFi SPOT GU10 Multicolour (see p. 33)




SMART⁺ WIFI CLASSIC LAMP SHAPE TRIPLE PACK

SMART⁺ WiFi Classic Dimmable Triple Pack (see p. 34)



SMART⁺ WiFi Classic Tunable White Triple Pack (see p.34)



SMART⁺ WiFi Classic Multicolour Triple Pack (see p. 34)



SMART⁺ WiFi Candle Lamps Triple Packs

SMART⁺ WiFi Candle Dimmable Triple Pack (see p. 35)



SMART⁺ WiFi Candle Tunable White Triple Pack (see p. 35)



SMART⁺ WiFi Candle Multicolour Triple Pack (see p. 35)



SMART⁺ WiFi Mini-Globe Lamps Triple Packs

SMART⁺ WiFi Mini Bulb Dimmable Triple Pack (see p. 36)



SMART⁺ WiFi Mini Bulb Tunable White Triple Pack (see p. 36)



SMART⁺ WiFi Mini Bulb Multicolour Triple Pack (see p. 36)



SMART⁺ WiFi REFLECTOR LAMPS TRIPLE PACKS

SMART⁺ WiFi SPOT GU10 Dimmable Triple Pack (see p. 37)



SMART⁺ WiFi SPOT GU10 Tunable White Triple Pack (see p. 37)




SMART⁺ WiFi SPOT GU10 Multicolour Triple Pack (see p. 37)



SMART⁺ WiFi PLUG INDOOR AND OUTDOOR

SMART⁺ Plug (see p. 38)



SMART⁺ WiFi REMOTE CONTROL


SMART⁺ WiFi Remote Controller (see p. 39)



SMART⁺ WiFi INDOOR PANEL LUMINAIRES

SMART⁺ WiFi PLANON™ FRAMELESS SQUARE

SMART⁺ WiFi PLANON FRAMELESS (see p. 40)




SMART⁺ WIFI PLANON™ FRAMELESS RECTANGULAR

SMART⁺ WIFI PLANON FRAMELESS (see p. 42)



SMART⁺ WIFI PLANON™ FRAMELESS ROUND

SMART⁺ WIFI PLANON FRAMELESS (see p. 45)



SMART⁺ WIFI PLANON™ PLUS SQUARE

SMART⁺ WIFI PLANON PLUS (see p. 46)



SMART⁺ WIFI PLANON™ PLUS RECTANGULAR

SMART⁺ WIFI PLANON PLUS (see p. 48)



SMART⁺ WIFI INDOOR ROUND LUMINAIRES

SMART⁺ WIFI ORBIS® DONUT

SMART⁺ WIFI ORBIS Donut 400 WT (see p. 50)




SMART⁺ WIFI ORBIS® KITE

SMART⁺ WIFI ORBIS Kite (see p. 52)




SMART⁺ WIFI ORBIS® MOON

SMART⁺ WIFI ORBIS® MOON (see p. 54)



SMART⁺ WIFI ORBIS® PLATE

SMART⁺ WIFI ORBIS Plate (see p. 56)



SMART⁺ WIFI ORBIS® CROMO

SMART⁺ WIFI ORBIS® CROMO (see p. 58)



SMART⁺ WIFI ORBIS® FRAME

SMART⁺ WIFI ORBIS® FRAME (see p. 60)



SMART⁺ WIFI ORBIS® EYE

SMART⁺ WIFI ORBIS® EYE (see p. 62)



SMART⁺ WIFI ORBIS® CYLINDER

SMART⁺ WIFI ORBIS® CYLINDER (see p. 64)



SMART⁺ WIFI ORBIS® SPIRAL

SMART⁺ WIFI ORBIS® SPIRAL (see p. 66)



SMART⁺ WIFI INDOOR LED STRIPS

SMART⁺ WIFI FLEX MULTICOLOR

SMART⁺ WIFI FLEX RGBTW (see p. 68)



SMART⁺ WIFI OUTDOOR WALL AND PATHWAY LUMINAIRES

SMART⁺ WIFI CUBE MULTICOLOR

SMART⁺ WIFI CUBE (see p. 70)




SMART⁺ WIFI LANTERN FLARE MULTICOLOR

SMART⁺ WIFI FLARE (see p. 72)



SMART⁺ WIFI CURVE MULTICOLOR

SMART⁺ WIFI CURVE (see p. 74)



SMART⁺ WIFI OUTDOOR GARDEN LUMINAIRES


SMART⁺ WIFI GARDEN POLE MULTICOLOR

SMART⁺ WIFI GARDEN POLE (see p. 76)



SMART⁺ WIFI GARDEN SPOT MULTICOLOR

SMART⁺ WIFI GARDEN SPOT (see p. 78)



SMART⁺ WIFI GARDEN DOT MULTICOLOR

SMART⁺ WIFI GARDEN DOT (see p. 80)



SMART⁺ WIFI OUTDOOR LED STRIPS

SMART⁺ WIFI NEON FLEX MULTICOLOR

SMART⁺ WIFI NEON FLEX (see p. 82)



SMART⁺ WIFI OUTDOOR FLOODLIGHTS

SMART⁺ WIFI FLOOD CAMERA

SMART⁺ WIFI FLOOD Camera (see p. 84)



SMART⁺ WIFI FLOOD

SMART⁺ WIFI FLOOD (see p. 86)



SMART⁺ BLUETOOTH LAMPS AND COMPONENTS

SMART⁺ BLUETOOTH CLASSIC LAMP SHAPE

SMART⁺ Filament Classic Dimmable (see p. 90)



SMART⁺ Classic Dimmable (see p. 90)



SMART⁺ Classic Tunable White (see p. 90)



SMART⁺ Classic Multicolour (see p. 90)



SMART⁺ BLUETOOTH CANDLE LAMPS

SMART⁺ Filament Classic Dimmable (see p. 91)



SMART⁺ Candle Dimmable (see p. 91)



SMART⁺ Candle Tunable White (see p. 91)



SMART⁺ BLUETOOTH MINI-GLOBE LAMPS

SMART⁺ Mini bulb Dimmable (see p. 92)




SMART⁺ Mini bulb Tunable White (see p. 92)



SMART⁺ BLUETOOTH FILAMENT LAMPS WITH EDISON BULB

SMART⁺ Filament Edison Dimmable (see p. 93)



SMART⁺ BLUETOOTH FILAMENT LAMPS WITH GLOBE BULB

SMART⁺ Filament Globe Dimmable (see p. 94)



SMART⁺ BLUETOOTH REFLECTOR LAMPS

SMART⁺ Spot GU10 Dimmable (see p. 95)



SMART⁺ Spot GU10 Tunable White (see p. 95)



SMART⁺ Spot GU10 Multicolour (see p. 95)



SMART⁺ BLUETOOTH PLUG INDOOR AND OUTDOOR

SMART⁺ Outdoor Plug (see p. 96)




SMART⁺ Indoor Plug (see p. 96)



SMART⁺ BLUETOOTH STARTER KITS WITH GOOGLE NEST MINI

SMART⁺ STARTER KIT SMART HOME A60 FIL DIM (see p. 97)



SMART⁺ STARTER KIT SMART HOME A60 FR RGBW (see p. 97)



SMART⁺ STARTER KIT SMART HOME Indoor Plug (see p. 97)



SMART⁺ STARTER KIT SMART HOME Indoor Flex RGBW (see p. 97)



SMART⁺ BLUETOOTH INDOOR ROUND LUMINAIRES

SMART⁺ BLUETOOTH TIBEA

SMART⁺ BT TIBEA (see p. 98)



SMART⁺ BLUETOOTH INDOOR LED STRIPS

SMART⁺ BLUETOOTH FLEX MULTICOLOR

SMART⁺ BT FLEX (see p. 100)



SMART⁺ BLUETOOTH OUTDOOR WALL AND PATHWAY LUMINAIRES

SMART⁺ BLUETOOTH MODERN LANTERN MULTICOLOR

SMART⁺ MODERN LANTERN (see p. 102)



SMART⁺ BLUETOOTH OUTDOOR LED STRIPS

SMART⁺ BLUETOOTH FLEX OUTDOOR MULTICOLOR


SMART⁺ FLEX (see p. 104))



SMART⁺ ZIGBEE LAMPS AND COMPONENTS

SMART⁺ ZIGBEE CLASSIC LAMP SHAPE

SMART⁺ Classic Dimmable (see p. 108))



SMART⁺ Classic Tunable White (see p. 108)



SMART⁺ Classic Multicolour (see p. 108)



SMART⁺ ZIGBEE CANDLE LAMPS

SMART⁺ Candle Dimmable (see p. 109))



SMART⁺ Candle Tunable White (see p. 109)



SMART⁺ ZIGBEE MINI-GLOBE LAMPS

SMART⁺ Mini bulb Dimmable (see p. 110))



SMART⁺ Mini bulb Tunable White (see p. 110)



SMART⁺ ZIGBEE FILAMENT LAMP WITH EDISON BULB

SMART⁺ bulb Dimmable (see p. 111)



SMART⁺ ZIGBEE FILAMENT LAMP WITH GLOBE BULB

SMART⁺ bulb Dimmable (see p. 112)



SMART⁺ ZIGBEE REFLECTOR LAMPS

SMART⁺ Spot GU10 Dimmable (see p. 113)



SMART⁺ Spot GU10 Tunable White (see p. 113)



SMART⁺ Spot GU10 Multicolour (see p. 113)



SMART⁺ ZIGBEE MOTION SENSOR

SMART⁺ Motion Sensor (see p. 114)



SMART⁺ ZIGBEE PLUG INDOOR AND OUTDOOR

SMART⁺ Indoor Plug (see p. 115)



SMART⁺ Outdoor Plug (see p. 115)



SMART⁺ ZIGBEE REMOTE CONTROL

SMART⁺ Switch Mini (see p. 116)



SMART⁺ ZIGBEE INDOOR PANEL LUMINAIRES

SMART⁺ ZIGBEE PANEL TUNABLE WHITE

SMART⁺ PANEL Tunable White (see p. 118)



SMART⁺ ZIGBEE INDOOR ROUND LUMINAIRES

SMART⁺ ZIGBEE CEILING

SMART⁺ Ceiling (see p. 120)



SMART⁺ ZIGBEE TIBEA

SMART⁺ TIBEA Pendant (see p. 122)



SMART⁺ TIBEA Ceiling (see p. 122)



SMART⁺ TIBEA MINI (see p. 122)



SMART⁺ ZIGBEE INDOOR UNDER CABINET LUMINAIRES

SMART⁺ ZIGBEE UNDERCABINET TUNABLE WHITE

SMART⁺ UNDERCABINET (see p. 124)



SMART⁺ ZIGBEE INDOOR LED STRIPS

SMART⁺ ZIGBEE FLEX MULTICOLOR

SMART⁺ FLEX (see p. 126)



SMART⁺ ZIGBEE OUTDOOR GARDEN LUMINAIRES

SMART⁺ ZIGBEE GARDENPOLE MULTICOLOR

SMART⁺ ZIGBEE GARDENPOLE (see p. 128)



SMART⁺ ZIGBEE OUTDOOR LED STRIPS

SMART⁺ ZIGBEE FLEX OUTDOOR MULTICOLOR

SMART⁺ ZIGBEE OUTDOOR FLEX EU (see p. 130)





Any manipulation of our products or packaging, including but not limited to modification, reworking or restamping, is prohibited and infringes our registered trademark rights. Such modifications may impair the technical properties of our products, destroy them or cause consequential damage or injury, for which LEDVANCE cannot under any circumstances be held responsible.

For more information on our products, go to:

www.ledvance.de

www.ledvance.com

Subject to change without notice. Errors and omissions excepted.
The pictures in the catalog are for illustration purposes only.

ABOUT LEDVANCE



LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from the general lighting business of OSRAM GmbH, LEDVANCE offers a wide-ranging assortment of LED luminaires for a broad spectrum of application areas, intelligent lighting products for Smart Homes and Buildings, one of the largest LED lamps portfolios in the industry as well as traditional light sources.

Customer Service Centre:

kundenservice@ledvance.com

Germany:

Phone: +49 89 780673-660

Fax: +49 89 780670-665

LEDVANCE GmbH

Parkring 29–33

85748 Garching

Germany

LEDVANCE.COM